East Kentucky Power Cooperative, Inc.

CANCELS P.S.C. KY NO. 27

EAST KENTUCKY POWER COOPERATIVE, INC.

OF

WINCHESTER, KENTUCKY

RATES, RULES, AND REGULATIONS FOR FURNISHING
WHOLESALE POWER SERVICE

AT

VARIOUS LOCATIONS TO

RURAL ELECTRIC COOPERATIVE MEMBERS

THROUGHOUT KENTUCKY

FILED WITH THE PUBLIC SERVICE COMMISSION OF KENTUCKY

ISSUED <u>MAY 8, 2003</u>

EFFECTIVE FOR SERVICE RENDERED ON AND AFTER MAY 1, 2003

ISSUED BY EAST KENTUCKY POWER COOPERATIVE, INC.

BY

Roy M. Palk

President and Chief Executive Affice \$07 KAR 5:01:

mad Down

MAY 0 1 2003

Wholesale Power Rate Schedule

Applicability

Applicable to all sections of this rate schedule and this rate schedule shall apply to each East Kentucky Power Cooperative, Inc. (hereinafter referred to as "EKPC" or the "Cooperative") load center separately.

Load Center Charges - Monthly

- A. Metering Point Charge
 - 1. Applicable to each metering point and to each substation
 - 2. Charge: \$125.00
- B. Substation Charge
 - 1. Applicable to each substation based on its size:
 - 2. Charges:

1,000 - 2,999 kVa substation	\$ 944.00
3,000 - 7,499 kVa substation	\$2,373.00
7,500 - 14,999 kVa substation	\$2,855.00
15.000 and over kVa substation	\$4,605.00

Minimum Monthly Charge

The minimum monthly charge shall be equal to the Load Center Charges plus the minimum on the company of the com monthly charges for Section B and Section C. Load Center Charges cover presenting wint and substation charge.

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1

Kay M. talk TITLE President & Chief Executive Officer

Fuel Adjustment

1. The fuel clause shall provide for periodic adjustment per kWh of sales when the unit cost of fuel [F(m) / S(m)] is above or below the base unit cost of \$0.01560 per kWh [F(b) / S(b)]. The current monthly charges shall be increased or decreased by the product of the kWh furnished during the current month and the fuel adjustment rate for the preceding month where the fuel adjustment rate is defined below:

Fuel Adjustment Rate =
$$\frac{F(m)}{S(m)} - \frac{F(b)}{S(b)}$$

Where F is the expense of fossil fuel in the base (b) and current (m) periods; and S is sales in the base (b) and current (m) periods, all defined below:

- 2. Fuel cost (F) shall be the most recent actual monthly cost of:
 - (a) Fossil fuel consumed in the utility's own plants, and the utility's share of fossil and nuclear fuel consumed in jointly owned or leased plants, plus the cost of fuel which would have been used in plants suffering forced generation and/or transmission outages, but less the cost of fuel related to substitute generation, plus
 - (b) The actual identifiable fossil and nuclear fuel costs associated with energy purchased for reasons other than identified in paragraph (c) below, but excluding the cost of fuel related to purchases to substitute the forced outages, plus
 - (c) The net energy cost of energy purchases, exclusive of capacity or demand charges (irrespective of the designation assigned to such transaction) when such energy is purchased on an economic dispatch basis. Included therein may be such costs as the charges for economy energy purchases and the charges as a result of scheduled outages, also such kinds of energy being purchased by the buyer to substitute for its own higher cost energy; and less

 OF KENTUCKY

 OF KENTUCKY

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered page 1, 2003

ISSUED BY Key W. ElkTITLE President & Chief Executive Officer

Fuel Adjustment (con't.)

- (d) The cost of fossil fuel recovered through inter-system sales including the fuel costs related to economy energy sales and other energy sold on an economic dispatch basis.
- (e) All fuel costs shall be based on weighted average inventory costing.
- 3. Forced outages are all non-scheduled losses of generation or transmission which require (purchase of) substitute power for a continuous period in excess of six (6) hours. Where forced outages are not as a result of faulty equipment, faulty manufacture, faulty design, faulty installations, faulty operation, or faulty maintenance, but are Acts of God, riot, insurrection or acts of public enemy, the utility may, upon proper showing, with the approval of the Commission, include the fuel cost of substitute energy in the adjustment.
- 4. Sales (S) shall be kWh sold, excluding inter-system sales. Where for any reason, billed system sales cannot be coordinated with fuel costs for the billing period, sales may be equated to the sum of (i) generation, (ii) purchases, (iii) interchange in, less (iv) energy associated with pumped storage operations, less (v) inter-system sales referred to in subsection (2)(d) above, less (vi) total system losses. Utility-used energy shall not be excluded in the determination of sales (S).
- 5. The cost of fossil fuel shall include no items other than the invoice price of fuel less any cash or other discounts. The invoice price of fuel includes the cost of the fuel itself and necessary charges for transportation of the fuel from the point of acquisition to the unloading point, as listed in Account 151 of the FERC Uniform System of Accounts for Public Utilities and Licenses.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered and 1, 2003

ISSUED BY for Mr Falle TITLE Presiden

TITLE President & Chief Executive Officer

Power Factor Adjustment

The member cooperative agrees to maintain a unity power factor as nearly as practicable at each load center at the time of the monthly peak demand for the load center. When the power factor is determined to be less than 90%, the monthly billing demand at the load center will be adjusted by multiplying the actual monthly billing demand by 90% and dividing this product by the actual power factor at the time of the monthly peak demand for the load center. For new load centers, the power factor penalty will not be applicable for the month of energization or the succeeding six (6) months. The demand rate applicable for power factor penalty billing is the lowest firm demand rate in Section A, B, C, E, or G.

Energy Curtailment and Outage Restoration Priorities

These tariffs are subject to the Energy Curtailment and Outage Restoration Priorities provisions of Administrative Case No. 353 of the Kentucky Public Service Commission. East Kentucky Power Cooperative's energy curtailment and restoration procedures are contained in Appendix I to these tariffs title Emergency Electric Procedures, East Kentucky Power Cooperative, Inc.; prepared April 1, 1994; revised February 17, 1995.

East Kentucky Power Cooperative will adhere to the curtailment of service requirements as set forth below and contained in Kentucky Revised Statutes (KRS) Section 278.214.

Curtailment of service by utility or generation and transmission cooperative. When a utility or generation and transmission cooperative engaged in the transmission of electricity experiences on its transmission facilities an emergency or other event that necessitates a curtailment or interruption of service, the utility or generation and transmission cooperative shall not curtail or interrupt retail electric service within its certified territory, or curtail or interrupt wholesale electric energy furnished to a member distribution cooperative for retail electric service within the cooperative's certified territory, except for customers who have noticely agreed to receive interruptible service, until after service has been commission interrupted to all other customers whose interruption may relieve the emergency or other event.

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered of and after May 1, 2003

ISSUED BY Nay M. talk TITLE President & Chief Executive Officer

Section A

Availability

Available to all cooperative associations which are or shall be members of EKPC. The electric power and energy furnished hereunder shall be separately metered for each point of delivery.

Applicability

Applicable to all power usage at the load center not subject to the provisions of Sections B, C, and E of this tariff.

Monthly Rate - Per Load Center

Demand Charge per kW of billing demand

\$7.82

Energy Charge per kWh

\$0.022675

Billing Demand

The billing demand (kilowatt demand) is based on EKPC's system peak demand (coincident peak) which is the highest average rate at which energy is used during any fifteen minute interval in the below-listed hours for each month and adjusted for power factor as provided herein:

> Months October through April

Hours Applicable for Demand Billing - EST

7:00 a.m. to 12:00 noon 5:00 p.m. to 10:00 p.m.

May through September

10:00 a.m. to 10:00 p.m.

Billing demand applicable to this section is equal to the load center's contribution to EKPC's system peak demand minus the actual demands of Section B, Section C, and Section E RUBLIC SERVICE GOMMISSION participants coincident with EKPC's system peak demand. OF KENTUCKY

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered of and layer PRESTOR 2003

TITLE President & Chief Executive Officer

P.S.C. No. 28 Original Sheet No. 6 Canceling P.S.C. No. 27 Original Sheet No. 6

EAST KENTUCKY POWER COOPERATIVE, INC.

Section A (con't.)

Billing Energy

Billing energy applicable to this section is equal to the total energy provided at the load center minus the actual energy provided to Section B, Section C, and Section E participants.

HUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY Kay M. talk

TITLE President & Chief Executive Officer

Section B

Availability

Available to all cooperative associations which are or shall be members of EKPC and which execute EKPC approved contracts with the ultimate consumers. The electric power and energy furnished hereunder shall be separately metered for each point of delivery.

Applicability

Applicable to cooperative associations and ultimate consumers willing to contract for demands of 500 kW or greater and a monthly minimum energy usage equal to or greater than 400 hours per kW of contract demand. Wholesale monthly minimum demand shall be agreed between the cooperative association and EKPC.

Monthly Rate

Demand Charge per kW of Minimum Demand \$5.39

Demand Charge per kW of Billing Demand

in Excess of Minimum Demand \$7.82

Energy Charge per kWh \$0.022675

Billing Demand

The billing demand (kilowatt demand) shall be the minimum demand plus any excess demand. Excess demand occurs when the ultimate consumer's highest demand during the current month, coincident with EKPC's system peak (coincident peak), exceeds the minimum demand. EKPC's system peak demand is the highest average rate at which energy is used during any fifteen minute interval in the below listed hours for each month and adjusted for power factor as provided herein:

Months
October through April

May through September

PUBLIC SERVICE COMMISSION Hours Applicable for Demand Hing - EST

7:00 a.m. to 12:00 noon

5:00 p.m. to 10400 p.m. 2003

10:00 a.m. to 10:00 p.m.

PURSUANT TO 807 KAR 5:011

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered or and after May 1, 2003

ISSUED BY Key M. falk TITLE President & Chief Executive Officer

Section B (con't.)

Minimum Monthly Charge

The minimum monthly charge shall not be less than the sum of (a) and (b) below:

- (a) The product of the minimum demand multiplied by the demand charge, plus
- (b) The product of the minimum demand multiplied by 400 hours and the energy charge per kWh minus the fuel base per kWh.

FUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011

EXECUTIVE DIRECTOR

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY My 7h. Halk

TITLE President & Chief Executive Officer

P.S.C. No. 28 Original Sheet No. 9 Canceling P.S.C. No. 27 Original Sheet No. 9

EAST KENTUCKY POWER COOPERATIVE, INC.

Section C

Availability

Available to all cooperative associations which are or shall be members of EKPC and which execute EKPC approved contracts with the ultimate consumers. The electric power and energy furnished hereunder shall be separately metered for each point of delivery.

Applicability

Applicable to cooperative associations and ultimate consumers willing to contract for demand of 500 kW or greater and a monthly energy usage equal to or greater than 400 hours per kW of billing demand.

Monthly Rate

Demand Charge per kW of Billing Demand

\$5.39

Energy Charge per kWh

\$0.022675

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

collic Mou

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered of and after May 1, 2003

ISSUED BY Key Th. falle TITLE President & Chief Executive Officer

Section C (con't.)

Billing Demand

The kilowatt demand shall be the greater of (a) or (b) listed below:

- (a) The contract demand
- (b) The ultimate consumer's highest demand during the current month or preceding eleven months coincident with EKPC's system peak demand. EKPC's system peak demand is the highest average rate at which energy is used during any fifteen minute interval in the below listed hours for each month and adjusted for power factor as provided herein:

Months
October through April

Hours Applicable for Demand Billing - EST

7:00 a.m. to 12:00 noon 5:00 p.m. to 10:00 p.m.

May through September

10:00 a.m. to 10:00 p.m.

Minimum Monthly Charge

The minimum monthly charge shall not be less than the sum of (a) and (b) below:

- (a) The product of the billing demand multiplied by the demand charge, plus
- (b) The product of the billing demand multiplied by 400 hours and the energy charge per kWh minus the fuel base per kWh.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered 5X56HTWARFINGLOR, 2003

SSUED BY Joy M. Helk TITLE President & Chief Executive Officer

<u>Section D</u> Interruptible Service

Standard Rider

This Interruptible Rate is a rider to Rate Sections A, B, C, and E.

Applicable

In all territory served by EKPC.

Availability of Service

This schedule shall be made available at any load center, to any member cooperative where an ultimate "Customer" will contract for an interruptible demand of not less than 250 kW and not more than 20,000 kW, subject to a maximum number of hours of interruption per year and a notice period as listed below.

Monthly Rate

A monthly demand credit per kW is be based on the following matrix:

Annual Hours of Interruption

Notice Minutes	<u>200</u>	<u>300</u>	<u>400</u>
10	\$2.70	\$3.15	\$3.60
60	\$2.25	\$2.70	\$3.15

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY Jan Halk TITLE President & Chief Executive Officer

Section D (con't.)

Determination of Measured Load - Billing Demand

The billing demand (kilowatt demand) is based on EKPC's system peak demand (coincident peak) which is the highest average rate at which energy is used during any fifteen minute interval in the below listed hours for each month and adjusted for power factor as provided herein:

Months
October through April

Hours Applicable for Demand Billing - EST

7:00 a.m. to 12:00 noon 5:00 p.m. to 10:00 p.m.

May through September

10:00 a.m. to 10:00 p.m.

The interruptible billing demand shall be equal to the amount by which the monthly billing demand exceeds the minimum billing demand as specified in the contract.

Conditions of Service for Customer Contract

- 1. The customer will, upon notification by the Cooperative, reduce his load being supplied by the Cooperative to the contract capacity level specified by the contract.
- 2. The Cooperative will endeavor to provide the Customer as much advance notice as possible of the interruption of service. However, the Customer shall interrupt service within the notice period as contracted.
- 3. Service will be furnished under the Cooperatives "General Rules and Regulations" or "Terms and Conditions" except as set out herein and/or provisions agreed to by written contract.
- 4. No responsibility of any kind shall attach to the Cooperative for, or on account of, any loss or damage caused by, or resulting from, any interruption of KENTUCKY this service.

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered of NECO TIME PINTED TO PROCEED TO PROCED TO PROCEED TO PROCEED TO PROCED TO PROCEDURE TO PROCED TO PROCEDURE TO PROCED TO PROC

ISSUED BY M. talk TITLE President & Chief Executive Officer

Section D (con't.)

- 5. The Customer shall own, operate, and maintain all necessary equipment for receiving electric energy and all telemetering and communications equipment, within the Customer's premises, required for interruptible service.
- 6. The minimum original contract period shall be one year and thereafter until terminated by giving at least six months previous written notice. The Cooperative may require a contract be executed for a longer initial term when deemed necessary by the size of the load and other conditions.
- 7. The Fuel Adjustment Clause, as specified in the General Wholesale Power Rate Schedule, is applicable.

Calculation of Monthly Bill

The monthly bill is calculated on the following basis:

- A. Sum of metering point charge and substation charge, plus
- B. Minimum billing demand in kW multiplied by the firm capacity rate, plus
- C. Interruptible billing demand in kW multiplied by interruptible rate, plus
- D. Energy usage in kWh multiplied by the energy rate.

Number and Duration of Interruptions

- A. Winter Season: There shall be no more than two (2) interruptions during any 24 hour calendar day. No interruption shall last more than six hours.
- B. Summer Season: There shall be no more than one (1) interruption during any analysis and the state of the s calendar day. No interruption shall last more than twelve hours.
- C. The maximum number of annual hours of interruption shall be in aggordance with the customer contracted level of interruptible service. PURSUANT TO 807 KAR 5:011

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May

ISSUED BY M. Talk TITLE President & Chief Executive Officer

P.S.C. No. 28 Original Sheet No. 14 Canceling P.S.C. No. 27 Original Sheet No. 14

EAST KENTUCKY POWER COOPERATIVE, INC.

Section D (con't.)

Charge for Failure to Interrupt

If Customer fails to interrupt load as requested by the Cooperative, the Cooperative shall bill the uninterrupted load at a rate equal to five (5) times the applicable firm power demand charge for that billing month. Uninterrupted load is equal to actual load during requested interruption minus firm load.

BUBLIC SERVICE COMMISSION OF KENTUCKY

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011

A CONTRACTOR

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY Jey M. Falk TITLE President & Chief Executive Officer

Section E

Availability

Available to all cooperative associations which are or shall be members of EKPC. The electric power and energy furnished hereunder shall be separately metered for each point of delivery.

Applicability

Applicable to all power usage at the load center not subject to the provisions of Section A, Section B, or Section C of this tariff.

Monthly Rate - Per Load Center

A cooperative association may select either Option 1 or Option 2 of this section of the tariff to apply to all load centers. The cooperative association must remain on a selected option for at least one (1) year and may change options, no more often than every twelve (12) months, after giving a minimum notice of two (2) months.

	Option 1	Option 2
Demand Charge per kW of Billing Demand	\$6.92	\$5.22
Energy Charge per kWh		
On-Peak kWh	\$0.022970	\$0.030034
Off-Peak kWh	\$0.022468	\$0.022468

On-peak and off-peak hours are provided below:

<u>Months</u>	On-Peak Hours - EST	Off-Peak Hours - EST
October through April	7:00 a.m. to 12:00 noon	12:00 noon to 5:00 p.m.
	5:00 p.m. to 10:00 p.m.	10:00 p.m. to 7:00 austion
May through September	10:00 a.m. to 10:00 p.m.	10:00 p.m. to 7:00 minsolon 10:00 point Ed 10:00 a.m. EFFECTIVE
		ELLECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on the Ulay 1, 2003

ISSUED BY Key WI. Halk TITLE President & Chief Executive Officer

Section E (con't.)

Billing Demand

The billing demand (kilowatt demand) is based on EKPC's system peak demand (coincident peak) which is the highest average rate at which energy is used during any fifteen minute interval in the below listed hours for each month and adjusted for power factor as provided herein:

> Months October through April

Hours Applicable for Demand Billing - EST 7:00 a.m. to 12:00 noon

5:00 p.m. to 10:00 p.m.

May through September

10:00 a.m. to 10:00 p.m.

Billing demand applicable to this section is equal to the load center's contribution to EKPC's system peak demand minus the actual demands of Section A, Section B, and Section C participants coincident with EKPC's system peak demand.

Billing Energy

Billing energy applicable to this section is equal to the total energy provided at the load center minus the actual energy provided to Section A, Section B, and Section C participants.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May

TITLE President & Chief Executive Officer

Section F

Voluntary Interruptible Service

Standard Rider

This Voluntary Interruptible Service is a rider to Rate Sections A, B, C, E, G and special contracts.

Applicable

In all territory served by EKPC.

No interruptible demand which is already under contract under any other Interruptible Rider is eligible for this service.

Availability of Service

This schedule shall be made available at any load center, to any member cooperative where an ultimate "Customer" is capable of interrupting at least 1,000 kW upon request and has contracted with the Member System to do so under a retail contract rider.

Conditions of Service

- 1. Any request for interruption under this Rider shall be made by EKPC through its Member Cooperative.
- 2. Each interruption will be strictly voluntary. The Member Cooperative may accept or decline the terms of the interruption offered by EKPC.
- 3. No responsibility of any kind shall attach to EKPC for, or on account of, any loss or damage caused by, or resulting from, any interruption or curtailment of this service.
- 4. The Customer shall agree by contract to own, operate, and maintain all necessary equipment for receiving electric energy and all telemetering and communications equipment, within the Customer's premises, required for interruptible service.
- 5. It is the Member Cooperative's responsibility to notify the Customer and ERNOUGE GOMMISSION EFFECTIVE

DATE OF ISS	UE May 8,	2003 DA	TE EFFECT	IVE: Serv	rice rendered of	on and after	May 1,	2003
			/ 1			IVIMIUI	F FAAA	
ISSUED BY	Kay 7	nit	TITI.	E President	t & Chief Exe	antive Offic	BANTKAR S	-013

Issued by authority of an Order of the Public Service Commission of Kensuck Commission o

interruption request from EKPC. Therefore, EKPC and the Member Cooperative shall mutually agree upon the manner by which EKPC shall notify the Customer of a request for interruption. Such an agreement shall include the means by which EKPC shall communicate the interruption request (e.g. email, phone, pager, etc.) and the Customer's point of contact to receive such a request.

- 6. EKPC will attempt to provide as much advance notice as possible for requests for interruption. However, upon the Customer's acceptance of the Terms of Interruption the Customer's load shall be interrupted with as little as one (1) hour of advance notification.
- 7. EKPC reserves the right to require verification of a Customer's ability to interrupt its load.
- 8. The Member Cooperative is not eligible for the Interruption Credits for any interruption when the Customer's interruptible load is down for other reasons during the period of the requested interruption. Such down time would include any event outside of the Customer's normal operating circumstances such as planned or unplanned outages due to renovation, repair, vacation, refurbishment, renovation, strike, or force majeure.

Interruptible Customer Data Report

The Member Cooperative shall furnish to EKPC an Interruptible Customer Data Report for each of its eligible Customers. Such a report shall include such information as:

- 1. The maximum number of hours per day and the time of day that the Customer has the ability to interrupt.
- 2. The maximum number of days and the maximum number of consecutive days that the Customer has the ability to interrupt.
- 3. The maximum interruptible demand and the minimum interruptible demand by the Customer upon request.
- 4. The minimum price at which each Customer is willing to interrupt.

Demand	l and	Energy	Interru	ıption

PUBLIC SERVICE COMMISSION

The Customer will agree by contract, within an agreed time after receiving notice; the cutomer will be a start as a start the extent possible with EKPC's request to interrupt load. EKPC is the sole judge of the need for MAY 0 1 2003

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY Long 111. Falls TITLE President & Chief Executive Office Title

For All Counties Served P.S.C. No. 28 Original Sheet No. 17.2 Canceling P.S.C. No. 27 Revised Sheet No. 17

EAST KENTUCKY POWER COOPERATIVE, INC.

interruption of load. EKPC is the sole judge of the amount of interruptible demand provided by the Customer, based on the following calculation:

The average of the integrated fifteen-minute demand for the two hours prior to the hour immediately preceding the call for interruption will be used as the basis for establishing the existing demand level. The hourly interruptible demands for each customer will be the difference between the existing demand level and the actual demand measured during each hour of the interruption period. The interrupted energy of each interruption period shall be the sum of the hourly interrupted demands. These types of interruptions will cover a period of no more than six hours.

For interruptions longer than six hours in duration, the Customer's average load usage for the same hours as the interruption hours in the two preceding business days prior to the day of notice will be used as the basis for determining the demand level for interruption. The average hourly usage for these business days, based on the average integrated fifteen minute demand intervals, minus the actual load during the interruption period will equal the amount of interruptible load. The interrupted energy of each interruption period shall be the sum of the hourly interrupted demands.

Terms of Interruption

For each interruption request, EKPC shall identify the Customer to be interrupted. EKPC shall inform the Member Cooperative or each Customer of an interruption request in accordance with the agreed upon method of notification. The Terms of Interruption shall include the following:

- 1. The time at which each interruption shall begin is to be established by EKPC. At least one (1) hour of advance notice of each request for interruption shall be provided by EKPC.
- 2. The duration in clock hours of the interruption request is to be established by EKPC.
- 3. The current price and the potential savings. This price will be determined by EKPC on a case by case basis and will be based on a percentage of the market price of power at the time of interruption.

 OF KENTUCKY
 REFECTIVE
- 4. The Member Cooperative shall specify or arrange for the Customer to specify: MAY 0.1 2003

a. The maximum demand in kW that will be interrupted.

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after Manual 2003

ISSUED BY for Mr fack TITLE President & Chief Executive Officer

b. The maximum firm demand that the Customer will purchase through the Member Cooperative during the interruption.

Interruption Credits

The interruption credit for each interruption period shall be equal to the interrupted energy MWh times an amount equal to 110% by which the quoted price for each interruption exceeds the Customer's regular tariff rate. The sum of the interruption credits for the billing month will be allocated as follows:

- 1. The Member Cooperative's account with EKPC will be credited in the amount of 10% of the credit to the Customer.
- 2. The interruption credit to the Customer shall be equal to the product of the interrupted energy multiplied by the interruption price for each interruption. This amount will be credited to the Member Cooperative's account with EKPC and passed along to the Customer.

Failure to Interrupt

For those Customers failing to interrupt a minimum of 80% of their agreed amount of interruptible load of 5,000 kW or greater, an excess energy charge will be applicable. This excess energy is equal to the difference of 80% of the interruptible load minus the interrupted load. Excess energy shall be charged to the Customer at a price equal to 125% of the interruption price plus the standard rate applicable to this load.

Term

The minimum original contract period shall be one (1) year and shall remain in effect thereafter until either party provides to the other at least thirty (30) days previous written notice.

Interruption Implementation Procedure

Voluntary interruptions will be implemented based on data developed from the Interruptible Science Customer Data Report. EKPC personnel will match the interruption scenario on the NEUCKY interruptible customers' profiles to determine interruption priority and sequence.

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on the service rend

ISSUED BY Log M. falle TITLE President & Chief Executive Officer

Section G

SPECIAL ELECTRIC CONTRACT RATE Applicable to Inland Container Corporation

Character of Service

Three-phase 60 Hertz alternating current as specified in the Agreement for Purchased Power.

Monthly Rate

Demand Charge per Billing kW

\$5.39

Energy Charge per ALL kWh

\$0.020910

Determination of Billing Demand

The kilowatt demand shall be the greater of (a) or (b) listed below:

- (a) The contract demand
- (b) The ultimate consumer's highest demand during the current month or preceding eleven months coincident with EKPC's system peak demand. EKPC's system peak demand is the highest average rate at which energy is used during any fifteen minute interval in the below listed hours for each month and adjusted for power factor as provided herein:

Months
tober through April

Hours Applicable for Demand Billing - EST

October through April

7:00 a.m. to 12:00 noon 5:00 p.m. to 10:00 p.m.

May through September

10:00 a.mutologethologe commission of kentucky

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered opening also place of the office of the o

ISSUED BY Key M. falk TITLE President & Chief Executive Officer

Section G (con't.)

Minimum Monthly Charge

The minimum monthly charge shall not be less than the sum of (a), (b), and (c) below:

- (a) The metering and substation charge, plus
- (b) The product of the billing demand multiplied by the demand charge, plus
- (c) The product of \$0.007 multiplied by the product of the billing demand multiplied by 400 hours.

Power Factor Adjustment

Refer to EKPC General Wholesale Power Tariffs Power Factor Adjustment, Original Sheet 4.

Fuel Adjustment Clause

Refer to EKPC General Wholesale Power Tariffs Fuel Adjustment, Original Sheets 2-4.

FUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Chango U. Down

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY A. Tille TITLE Pre

TITLE President & Chief Executive Officer

Section G (con't.)

Economic Development Rider

An Economic Development Rate (EDR) shall apply to the Agreement consisting of a demand credit determined as follows:

For sixty consecutive months, beginning with the first month that a customer's increased metered demand exceeds 1,000 kW, or at a date specified in the contract, whichever shall first occur, a Demand Credit will be applicable to customer's power usage, and will be equal to the product of the increased metered demand times the Demand Charge, and as it may be modified from time to time, multiplied by the following applicable percentage:

- (1) 50% for the first twelve consecutive months of the credit period,
- (2) 40% for the second twelve consecutive months of the credit period,
- (3) 30% for the third twelve consecutive months of the credit period,
- (4) 20% for the fourth twelve consecutive months of the credit period,
- (5) 10% for the fifth twelve consecutive months of the credit period, and none thereafter

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered EXECUTIVE 2003

ISSUED BY Key M. Hack TITLE President & Chief Executive Officer

Section H

Wholesale Renewable Resource Power Service

Standard Rider

This Renewable Resource Power Service is a rider to Rate Sections A, B, C, and E. The purpose of this service is to provide Member Systems with a source of renewable resource generated power for resale to their Customers.

Applicable

In all territory served by EKPC.

Availability of Service

This service is contingent upon the available supply of energy generated from renewable resources which EKPC owns or controls, or such energy which EKPC has purchased from other wholesale suppliers.

This schedule shall be made available at any load center to any member cooperative where a retail "Customer" contracts for renewable resource power service in the following block amounts:

100 kWh

AND where retail "Customer" has contracted with the Member Cooperative Association to do so under a retail contract rider.

Eligibility

Any EKPC Member Cooperative Association that has completed and returned a "Pledge to Purchase Renewable Resource Power Service" application to EKPC will be eligible for this rider. This form will indicate the number of blocks that the Member Cooperative Association intends to purchase monthly as a firm purchase power commitment for a period of one year. All such Member Cooperative Associations will have executed an Agreement for the sale of renewable resource power with ENTIRE SCHOOL OF KENTUCKY OF KENTUCKY.

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on an executive DIRECTOR

ISSUED BY Karth Fack TITLE President & Chief Executive Officer

Section H (con't.)

Monthly Rate

The monthly rate for this service will be a renewable power premium, i.e. added charge, for all renewable power purchased by the participating Member Cooperative Association. The renewable rate premium per block is as follows:

100 kWh block

\$2.375 per block (\$0.02375 per kWh)

This power can be purchased only in the blocks and amounts listed above. These rates are in addition to the regular wholesale rate applicable to the Member Cooperative Association.

Billing and Minimum Charge:

Blocks of power sold under this tariff shall constitute the minimum amount of energy in kWh that the Member Cooperative Association may be billed for during a normal billing period.

Terms of Service and Payment:

This schedule shall be subject to all other terms of service and payment of the wholesale power tariff.

Fuel Adjustment Clause:

The fuel adjustment clause is not applicable to renewable resource power.

Special Terms:

When Member Cooperative Associations' contract for this type of power service, said Member Cooperative Associations will pay for all such power at the rates prescribed in this tariff for the complete contract period.

HUBLIE SERVIGE COMMISSION OF KENTUCKY EFFECTIVE

MAY 0 1 2003

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on and after May 1, 2003

ISSUED BY Key M. Halk TITLE President & Chief Executive Officer

Section DSM - 1

Touchstone Energy Manufactured Home Program

Purpose

The Touchstone Energy Manufactured Home Program is a conservation program that encourages the sale of more energy-efficient manufactured homes. It is based on the *Energy Star* standards for manufactured homes, a nationally recognized symbol of energy efficiency and quality developed and operated jointly by the U.S. Environmental Protection Agency (EPA) and the U.S. Department of Energy (DOE).

Availability

This program is available in all service territory served by EKPC.

Eligibility

To qualify as a Touchstone Energy Manufactured Home under EKPC's program, the participating manufactured home must be located in the service territory of a participating Member System and meet the Energy Star standards by including additional floor, wall and ceiling insulation, double pane windows and an electric heat pump.

Rebate

EKPC will provide an incentive for retail customers of our Member Systems to participate in this program by offering a one-time rebate. EKPC will rebate \$250 per certified manufactured home to the participating Member System. Rebates will be paid to the participating Member Systems upon written certification that the retail participant has met the Energy Star standards for newly constructed manufactured homes.

Annual Reports

EKPC will submit annual reports on the Program that contain the number of participants from each Member System, the annual costs, including the costs of the rebates, and the status of the rebate provision. EKPC will file the first report by March 31, 2004, and annually thereafter.

Term

PUBLIC SERVICE COMMISSION
The Touchstone Energy Manufactured Home Program will remain in effect through EFFECTIVE
should decide to continue the rebate provision of the Program beyond 2004 on the angle EFFECTIVE 2007, an application for approval from the Kentucky Public Service Commission will be filed 6 months prior to the date of continuation.

PURSUANT TO 807 KAR 5:011 DATE OF ISSUE May 8, 2003 DATE EFFECTIVE: Service rendered on an death of May 1, 2003

ISSUED BY Long M. fulle TITLE President & Chief Execting Office PECTOR

For All Communities Served
P.S.C. No. 22
Original Sheet No. 16
Cancelling P.S.C. No.
______ Sheet No.

		TOTAL	
PAGE - 1 INVOICE DATE:		FUEL ADJUSTMENT	F XOX
		WHEELING OR SUBSTATION	TOTAL DUE BY 20TH DAY OF MONTH
EAST KENTUCKY POWER COOPERATIVE P.O. BOX 707 WINCHESTER, KENTUCKY 40391	oice Es	ENERGY CHARGE	TOTAL DUE
POWER COO	WHOLESALE POWER INVOICE SUBSTATION CHARGES MONTH, 19XX	DEMAND	
IT KENTUCKY IX 707 WINC	WHOLESALE SUBSTA MO	BILLING KWH	
EAS P.O. BO		BILLING	**** RIOR DEMAND
		BILLING	FROM A
		RATE	ER B11LED
		SUBSTATION	CO-OP TOTALS E.T.S ** ** ** ** ** ** ** ** **

DATE OF ISSUE November 20, 1992
ISSUED BY Name of Officer

DATE EFFECTIVE December 1, 1982, TITLE President and deferal Manager

sued by authority of the Public Service Commission of Kentuckyrstantrio 8071KAR 55011.

KAR 5:006, Section 6(3).

SECTION 9 (1)

PUBLIC SERVICE COMMISSION MANAGER

For All Communities P.S.C. No. 22 Cancelling P.S.C. Original Sheet No. No. Served

Sheet

EAST KENTUCKY POWER COOPERATIVE P.O. BOX 707 WINCHESTER, KENTUCKY 40391 PAGE - 2 INVOICE DATE:

WHOLESALE POWER INVOICE SUBSTATION DETAIL CHARGES MONTH, 19XX

FUEL TOTAL DEMAND ENERGY WHEELING OR BILLING BILLING BILLING SUBSTATION RATE ADJUSTMENT CHARGE CHARGE SUBSTATION KWH CHARGE DEMAND CODE NOTES

DATE EFFECTIVE TITLE Presiden

E.T.S.

CO-OP AMOUNT DUE

CO-OP TOTALS

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

President Decembe**DEC 29821992**General Manager

Public Service Commission of Kentucky, GSECTION BUCHS

PUBLIC SERVICE COMMISSION MANAGER

DATE ISSUED BY OF

ISSU Name

1992,

o f Officer

Issued by authority of the F 807 KAR 5:006, Section 6(3).

PAGE - 3

TOTAL AMOUNT DUE

INVOICE DATE:

P.S.C. No. All Communities Served

Original Sheet

Cancelling P.S.C. No. No.

EAST KENTUCKY POWER COOPERATIVE, INC. P.O. BOX 707 WINCHESTER, KENTUCKY 40391

> WHOLESALE POWER INVOICE CO-OP TOTAL CHARGES

> > MONTH, 19XX

WHEELING OR TOTAL FUEL RATE BILLING DEMAND **ENERGY** SUBSTATION BILLING BILLING ADJUSTMENT CHARGE CHARGE CODE NOTES DEMAND KWH CHARGE SUBSTATION (\$\$) (\$\$) (\$\$) CHARGE(\$\$) (\$\$)

SCHEDULE A ADJ. TOTALS

SCHEDULE B ADJ. TOTALS

SCHEDULE C ADJ. TOTALS

SCHEDULE E ADJ. TOTALS STEP 1

SCHEDULE E ADJ. TOTALS STEP 2

SCHEDULE A TOTALS

PURSUANT TO 807 KAR 5:011. EFFECTIVE SCHEDULE C TOTALS
SCHEDULE E TOTALS STEP 1
SCHEDULE E TOTALS STEP 2
SCHEDULE E TOTALS STEP 2

SCHEDULE E TOTALS STEP 2

SCHEDULE E TOTALS STEP 2

CENTUCE CEMMISSION

PRIOR DEMAND ECTIVE Dedember 2, 1992 President & General Manager

DATE OF ISSUED

Issued by authority of 807 KAR 5:006, Section Namė

the P 6(3).

Public

Service

DATE 1

Officer

PUBLIC SERVICE COMMISSION MANAGER

For Communities 19 Served

Sheet

No.

7.82 EAST KENTUCKY POWER COOPERATIVE, INC. PAGE - 4 KW-SCH .A KWH-SCH. B&C 23.96 5.39 P.O. BOX 707 WINCHESTER, KENTUCKY 40391 KW-SCH. B CONTRACT 7.82 STATISTICS FOR THE MONTH OF KWH-SCH. E STEP 1 31.85 **EXCESS CONTRACT** 5.39 KWH-SCH. E STEP 2 23.96 KW-SCH. C KWH-ETS 4.34 19.168 KW-SCH. E FUEL RATE 1.4000-OFFICE WHEELING 1.50

		KWH METER	READING	S		KW	IH			KWH	
SUBSTATION	CONSTANT KW KWH	PRESENT	PREV	DIFF	BILLING DEMAND	TOD DEMAND	HIGHEST DEMAND	CONTRACT DEMAND	BILLING KWH	ACTUAL KWH	CONTRACT KWH

SCHEDULE A STATISTIC TOTALS SCHEDULE B STATISTIC TOTALS SCHEDULE C STATISTIC TOTALS SCHEDULE E STATISTIC TOTALS STEP 1 SCHEDULE E STATISTIC TOTALS STEP 2 ****

GRAND TOTALS

EFFECTIVE E.T.S

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

07 KAR 5:011.

DATE OF ISSUE SUED ВΥ

Name

Officer

exx

Issued by authority of the Public Service Commission 807 KAR 5:006, Section 6(3).

President

TITLE

DATE

of Kentucky, PUBLIC SERVICE

ROWNISSION MANAGER

For all Communities Served P.S.C. No. 22 Original Sheet No. 2θ Cancelling P.S.C. No.____ Sheet No.

Billing Energy/MMBTU Highest Demand/MMBTU P.O. 80X 707, WINCHESTER, KENTUCKY 40391 EAST KENTUCKY POWER COOPERATIVE STEAM INVOICE INLAND CONTAINER STATISTICS Demand/MMBTU Billing Demand/MMBTU Fleming Mason RECC P.O. Drawer 328 Flemingsburg, Kentucky 41041 Average Heat Rate

PUBLIC SERVICE COMMISSION OF KENTUCKY **EFFECTIVE**

	DEC 2 2 1992
DATE OF ISSUE November 20, 1992 p	DATE EFFECTIVE December 1, 1992
ISSUED BY Wonald Royns	TITLE Presidentuged ANT 857 KARS 611.
Name of Officer	CECTION 9 (1)

For All Communities Served
P.S.C. No. 22
Original Sheet No. 21
Cancelling P.S.C. No.
Sheet No.

Fleming Mason RECC P.O. Drawer 328 Flemingsburg, Kenti	Fleming Mason RECC Р.О. Drawer 328 Flemingsburg, Kentucky 41041	EAST KENTUCKY POWER COOPERATIVE P.O. BOX 707, WINCHESTER, KENTUCKY 40391 STEAM INVOICE INLAND CONTAINER DETAIL CHARGES DATE	EAST KENTUCKY POWER COOPERATIVE BOX 707, WINCHESTER, KENTUCKY STEAM INVOICE INLAND CONTAINER DETAIL CHARGES DATE	RATIVE TUCKY 40391 HARGES	DEMG ENER FUEL MINI	OEMAND/MMBTU ENERGY/MMBTU FUEL ADJ./MMBTU MINIMUM BILL	\$419.514 \$2.241 \$100,000
BILLING NOTES	BILLING Demand/mmbtu	BILLING ENERGY/MMBTU	DEMAND	ENERGY CHARGE	FUEL ADJUSTMENT	TOTAL CHARGE	
EDR DEMAND CREDIT	CREDIT			,			
TOTAL DUE B	BY 20TH DAY OF THE MONTH	MONTH					
*Steam Measurement	surement Adjustment Factor	Factor					
DEC 2 2 1992 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE						

DATE OF ISSUE November 20, 1992 ISSUED BY Wonald Mon

DATE EFFECTIVE DE TITLE President & General Manager

5:011.

Name of Officer Issued by authority of the Public Service Commission of Kentucky, General Rules 807 KAR 5:006, Section 6(3)

CANCELS P.S.C. KY NO. 3

EAST KENTUCKY POWER COOPERATIVE, INC.

OF

WINCHESTER, KENTUCKY

RATES, RULES, AND REGULATIONS FOR PURCHASING

ELECTRIC POWER AND ENERGY

AΤ

VARIOUS LOCATIONS THROUGHOUT KENTUCKY

FROM

QUALIFIED COGENERATION AND

SMALL POWER PRODUCTION FACILITIES

FILED WITH THE PUBLIC SERVICE COMMISSION OF KENTUCKY

ISSUED November 24, 1999

EFFECTIVE December 31, 1999

PUBLIC SERVICE COMMISSION BY EAST KENTUCKY POWER COOPERATIVE, INC. OF KENTUCKY

EFFECTIVE

DEC 3 1 1999

BY

Roy M. Palk

President and Chief Executive Officer

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

SECRETARY OF THE COMMISSION

PUBLIC SERVICE COMMISSION

OF KENTUCKY EFFECTIVE

POWER PURCHASE RATE SCHEDULE OVER 100 kW

DEC 3 1 1999

AVAILABILITY

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Available only to qualified cogeneration or small power production facilities with a Buy capacity of over 100 kW which have executed a contract with East Kentucky Power Cooperative and one of EKPC's member distribution systems for the purchase of electric power by East Kentucky Power Cooperative.

RATES

- 1. Capacity
 - a. \$18.60 per kW per year is applicable if cogenerator or small power producer is dispatched by East Kentucky Power Cooperative.
 - b. \$0.00283 per kWh is applicable if cogenerator or small power producer is not dispatched by East Kentucky Power Cooperative.
- 2. Energy A base payment per kWh is listed below for a time-differentiated basis or a non-time differentiated basis for the specified years.
 - a. Time Differentiated Rates:

	Wi	nter	Summer		
Year	On-Peak	Off-Peak	On-Peak	Off-Peak	
2000	\$0.01600	\$0.01500	\$0.01440	\$0.01330	
2001	\$0.01810	\$0.01640	\$0.01580	\$0.01410	
2002	\$0.01880	\$0.01710	\$0.01710	\$0.01490	
2003	\$0.02260	\$0.02040	\$0.02370	\$0.01740	
2004	\$0.02510	\$0.02290	\$0.02690	\$0.02310	

b. Non-Time Differentiated Rates:

Year	2000	2001	2002	2003	2004
Rate	\$0.01480	\$0.01610	\$0.01690	\$0.02070	\$0.02310

DATE OF ISSUE November 24, 1999

DATE EFFECTIVE December 31, 1999

SSLIED BY WALLY

TITLE President & Chief Executive Officer

EAST KENTUCKY POWER COOPERATIVE, INC.

The on-peak and off-peak energy rates are applicable during the hours listed below for each season:

Winter (October - April)

On-Peak 7:00 a.m. - 12:00 noon

5:00 p.m. - 10:00 p.m.

Off-Peak 12:00 noon - 5:00 p.m.

10:00 p.m. - 7:00 a.m.

PUBLIC SERVICE COMMISSION

OF KENTUCKY
EFFECTIVE

Summer (May - September)

Off-Peak

On-Peak 10:00 a.m. - 10:00 p.m.

10:00 p.m. - 10:00 a.m.

DEC 31 1999

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Stephan Buy
SECRETARY OF THE COMMISSION

TERMS AND CONDITIONS

- 1. All power from a Qualifying Facility (QF) will be sold only to East Kentucky Power Cooperative.
- 2. Seller must provide good quality electric power within a reasonable range of voltage, frequency, flicker, harmonic currents, and power factor.
- 3. Qualifying Facility (QF) shall provide reasonable protection for EKPC and the member cooperative's system.
- 4. Qualifying Facility (QF) shall design, construct, install, own, operate, and maintain the Qualifying Facility in accordance with all applicable codes, laws, regulations, and generally accepted utility practices.
- 5. Qualifying Facility shall reimburse EKPC and its member cooperative for all costs incurred as a result of interconnecting with the QF, including operation, maintenance, administration, and billing.

DATE OF ISSUE November 24, 1999

DATE EFFECTIVE December 31, 1999

ISSUED BY Vox Tn. fall

EAST KENTUCKY POWER COOPERATIVE, INC.

- 6. Qualifying Facility shall obtain insurance in the following minimum amounts for each occurrence:
 - a. Public Liability for Bodily Injury \$1,000,000.00
 - b. Property Damage \$500,000.00
- 7. Initial contract term shall be for a minimum of twenty years.
- 8. Qualifying Facilities proposing to supply as available (non-firm) electric power shall not be entitled to a capacity payment.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

DEC 3 1 1999

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Stephane Baro

SECRETARY OF THE COMMISSION

DATE OF ISSUE November 24, 1999

DATE EFFECTIVE December 31, 1999

ISSUED BY

For Area Served P.S.C. No. 4 Original Sheet No. 4

Canceling P.S.C. No. 3

OF KENTUCKY **EFFECTIVE**

EAST KENTUCKY POWER COOPERATIVE, INC.

COGENERATION AND SMALL POWER PRODUCTION POWER PURCHASE RATE SCHEDULE

DEC 31 1999

LESS THAN 100 kW

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

AVAILABILITY

BY: Stephan

Available only to qualified cogeneration or small power production facilities Will a design commercial capacity of less than 100 kW which have executed a contract with East Kentucky Power Cooperative and one of EKPC's member distribution systems for the purchase of electric power by East Kentucky Power Cooperative.

RATES

1. Capacity

- a. \$18.60 per kW per year is applicable if cogenerator or small power producer is dispatched by East Kentucky Power Cooperative.
- b. \$0.00283 per kWh is applicable if cogenerator or small power producer is not dispatched by East Kentucky Power Cooperative.
- 2. Energy A base payment per kWh is listed below for a time-differentiated basis or a nontime differentiated basis for the specified years.
 - a. Time Differentiated Rates:

	Wii	nter	Sum	Summer		
Year	On-Peak	Off-Peak	On-Peak	Off-Peak		
2000	\$0.01600	\$0.01500	\$0.01440	\$0.01330		
2001	\$0.01810	\$0.01640	\$0.01580	\$0.01410		
2002	\$0.01880	\$0.01710	\$0.01710	\$0.01490		
2003	\$0.02260	\$0.02040	\$0.02370	\$0.01740		
2004	\$0.02510	\$0.02290	\$0.02690	\$0.02310		

b. Non-Time Differentiated Rates:

Year	2000	2001	2002	2003	2004
Rate	\$0.01480	\$0.01610	\$0.01690	\$0.02070	\$0.02310

DATE OF ISSUE November 24, 1999

DATE EFFECTIVE December 31, 1999

EAST KENTUCKY POWER COOPERATIVE, INC.

The on-peak and off-peak energy rates are applicable during the hours listed below for each season:

Winter (October - April)

On-Peak 7:00 a.m. - 12:00 noon

5:00 p.m. - 10:00 p.m.

Off-Peak 12:00 noon - 5:00 p.m.

10:00 p.m. - 7:00 a.m.

PUBLIC SERVICE COMMISSION

OF KENTUCKY EFFECTIVE

Summer (May - September)

On-Peak 10:00 a.m. - 10:00 p.m.

DEC 3 1 1999

Off-Peak 10:00 p.m. - 10:00 a.m.

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Stephane Bus

SECRETARY OF THE COMMISSICIL

TERMS AND CONDITIONS

- 6. All power from a Qualifying Facility (QF) will be sold only to East Kentucky Power Cooperative.
- 7. Seller must provide good quality electric power within a reasonable range of voltage, frequency, flicker, harmonic currents, and power factor.
- 8. Qualifying Facility (QF) shall provide reasonable protection for EKPC and the member cooperative's system.
- 9. Qualifying Facility (QF) shall design, construct, install, own, operate, and maintain the Qualifying Facility in accordance with all applicable codes, laws, regulations, and generally accepted utility practices.
- 10. Qualifying Facility shall reimburse EKPC and its member cooperative for all costs incurred as a result of interconnecting with the QF, including operation, maintenance, administration, and billing.

DATE OF ISSUE November 24, 1999 DATE EFFECTIVE December 31, 1999

EAST KENTUCKY POWER COOPERATIVE, INC.

- 7. Qualifying Facility shall obtain insurance in the following minimum amounts for each occurrence:
 - a. Public Liability for Bodily Injury \$1,000,000.00
 - b. Property Damage \$500,000.00
- 9. Initial contract term shall be for a minimum of twenty years.
- 10. Qualifying Facilities proposing to supply as available (non-firm) electric power shall not be entitled to a capacity payment.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

DEC 31 1999


PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

SECRETARY OF THE COMMISSION

DATE OF ISSUE November 24, 1999

DATE EFFECTIVE December 31, 1999

EMERGENCY ELECTRIC PROCEDURES



East Kentucky Power Cooperative, Inc.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE


MAR 3 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Onder C. Meel
FOR THE PUBLIC SENVICE CO. MISSION

Prepared April 1, 1994 Revised: Feb. 17, 1995

EMERGENCY ELECTRIC PROCEDURES



East Kentucky Power Cooperative, Inc.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Onder C. Neel FOR THE PUBLIC SENSICE CO. MISSION

Prepared April 1, 1994 Revised: Feb. 17, 1995

TABLE OF CONTENTS

SECTION

- I. INTRODUCTION
- II. ANTICIPATED CAPACITY SHORTAGE -- EEP1
- III. SUDDEN OR UNANTICIPATED CAPACITY SHORTAGE EEP2
- IV. COAL SHORTAGE

Alert Level 1 -- EEP3

Alert Level 2 -- EEP4

Alert Level 3 -- EEP5

V. LOAD REDUCTION PROCEDURE -- EEP6

APPENDIX

REFERENCE DOCUMENTS:

- EKPC Contact List
- Commonwealth of Kentucky Emergency Operations Plan, Annex P
- ECAR Guide No. 1 Emergency Electric Procedures

Appendix A - Determination of Days' Coal Supply and Optimum Fuel Conservation Dispatch

Appendix B - ECAR Communication Procedures

• ECAR Guide No. 3 - Emergency Procedures During Declining System Frequency
Appendix I - Isolation of Generating Units

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Order C. Neel
FOR THE PUBLIC SERVICE CO. MISSION

INTRODUCTION

A vital part of East Kentucky Power's mission is to provide reliable electric service to its 18 member distribution cooperatives. These Emergency Electric Procedures were developed to help EKPC meet this objective. They take into account EKPC's role as the power supplier to the 18 member systems and the member systems' role as the power supplier to the end-of-the-line customer. Contact with and service to the member systems' customers is the responsibility of the respective member cooperatives. This dictates that any need for curtailment or conservation efforts required of the distribution customers must be made known to them through, or with the approval of, the respective member systems.

It is recognized that emergency procedures are a guide for action in response to situations for which assumptions have been made. As such, the actual emergency situation experienced will not be exactly like the one planned for, therefore, the plan should be viewed as flexible and the users given the authority to adjust the procedures to the specific emergency being experienced. The steps to be taken under each emergency procedure are listed in the order of priority. Those individuals with the responsibility of carrying out these steps may stop the further execution of the listed steps when, in their judgement, the emergency is alleviated.

These procedures are based on the premise that all industrial and large commercial customers will have a load reduction plan which will be placed into effect when directed to do so by or with the approval of the respective member systems.

East Kentucky Power and the regulatory environment under which it operates is constantly changing. Thus, the emergency procedures should be periodically adjusted for these changes. The Electric Operations Division Director has overall responsibility for these procedures and future revisions.

These procedures were developed by the Emergency Electric Procedures Task Marices ERVICE COMMISSION

OF KENTUCKY EFFECTIVE

Paul Atchison, Chairman
Electric Operations Division Director

Wes Moody, Secretary Technical Services Manager

8997 1 C RAM

George Carruba

System Planning Manager

Jim Shipp

PURSUANT TO 807 KAR 5:011,

Production Engineering Manager

nager SECTION 9 (1)
BY: Onder C. Newl

FOR THE PUBLIC SERVICE COMMISSION

Randy Dials Fuel Manager Jerry Schureman

Member & Corp. Communications Manager

Anticipated Capacity Shortage

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Ouster C. Neel FOR THE PUBLIC SERVICE CO. MISSION

ANTICIPATED CAPACITY SHORTAGE

Objective:

To reduce megawatt demand over the time period during which a capacity shortage is anticipated.

Criteria:

A capacity shortage can be anticipated when:

- EKPC available capacity and outside sources of generation are less than the forecasted load demand due to power plant equipment problems, transmission limitations, local coal problems, or environmental constraints. It is assumed that EKPC has already exhausted all efforts to purchase power, at the best available price, from other suppliers.
- If the anticipated capacity shortage is the result of an anticipated regional coal shortage which could occur in the event of widespread transportation problems or a general strike in the coal mines, Coal Shortage procedures (EEP3,4,5) are to be used

Procedure:

The procedure for responding to an anticipated capacity shortage is divided into two parts, planning for and trying to avoid the capacity shortage and action taken when a capacity shortage is actually being experienced.

Planning:

- 1. If tie-line limits are preventing energy transfers to the EKPC system, work with PUBLIC SERVICE COMMISSION interconnected companies to determine temperature specific tie-line limits during the EFFECTIVE anticipated shortage period.
- 2. Bring all EKPC coal-fired generation on-line in anticipation of need.

MAR 21 1996

PURSUANT TO 807 KAR 5:011. 3. Bring all EKPC combustion turbines on line and run at minimum levels until needed SECTION 9 (1)

- BY: Ordan C. neel 4. Coordinate with other companies to cut our sales when we are experiencing parcagagety survive commission shortage.
- 5. The Electric Operations (EO) Division Director initiates the Load Reduction Alert by contacting the Marketing and Communications (M&C) Division Director and advising him of the anticipated capacity shortage.
- 6. The EO Division Director notifies the member system managers of EKPC's intent to interrupt service to loads with interruptible rates. Information as to when and how long service will be interrupted, and the expected duration (hours, days) of the capacity shortage should be given to the member system managers.

- 7. The EO Division Director coordinates with other Kentucky electric utilities in planning the announcement of a request for a general voluntary load reduction.
- 8. The Environmental Affairs Manager requests the Kentucky Public Service Commission (PSC) and the U.S. Environmental Protection Agency (EPA) to lift all environmental restrictions in order to operate generating units as efficiently as possible.

Action List:

The following action list will be implemented in the order given until the capacity shortage is corrected.

- 1. Initiate direct load control to reduce consumer load.
- 2. Interrupt service to loads with interruptible rates.
- 3. The EO Division Director advises the M&C Division Director to initiate EKPC's Load Reduction Procedure.
- 4. The Production Division Director orders the shutdown of scrubbers if permitted by law. Buy emission allowances to maintain environmental compliance.
- 5. If time and system conditions permit, coordinate with neighboring companies to initiate system wide voltage reduction. Voltage schedules at the generating plants shall be as coordinated with neighboring utilities.
- 6. If time and system conditions permit, ask member systems to initiate voltage reduction by using the substation voltage regulators.
- 7. The EO Division Director advises the M&C Division Director of the need for media appeal for a general voluntary load reduction.
- 8. The M&C Division Director coordinates EKPC's request for a general voluntary load reduction with the member system managers and the media.
- PUBLIC SERVICE COMMISSION

 The EO Division Director requests the President and CEO, in coordination with otherOF KENTUCKY
 Kentucky electric utilities, to contact the PSC and request the Governor's action of EFFECTIVE
 declaring a statewide Energy Emergency in order that mandatory load reduction can
 be initiated.

 MAR 0 1 1996

EEP1 April 1, 1994 page 3 of 3

When it appears that a request for a general voluntary load reduction request is imminent, the following steps are to be taken:

- 11. The Risk and Loss Coordinator advises the Kentucky Public Service Commission (PSC) of the situation.
- 12. The EO Division Director advises ECAR of the situation.

Contacts/Reporting:

- EKPC President and CEO
- Electric Operations Division Director
- Marketing and Communications Division Director
- Production Division Director
- Risk and Loss Coordinator
- Kentucky Public Service Commission
- U.S. Environmental Protection Agency
- Other Kentucky Electric Utilities
- ECAR
- Governor's Office
- Member System Managers
- The Media

Reference Documents:

- Load Reduction Procedure
- Commonwealth of Kentucky Emergency Operations Plan, Section O
- ECAR Guide No. 1 Emergency Electric Procedures

Revised Feb. 17, 1995

Reviewed by:

PUBLIC SERVICE COMMISSION OF KENTUCKY **EFFECTIVE**

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011.

SECTION 9 (1)

BY: Oudan C. neel FOR THE PUBLIC BEAUTUE COMMISSION

Sudden or Unanticipated Capacity Shortage

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5.011, SECTION 9 (1)

BY: Onder C. Heel
FOR THE PUBLIC SERVICE COLUMNSSION

EEP2 April 1, 1994 page 1 of 3

SUDDEN OR UNANTICIPATED CAPACITY SHORTAGE

Objective:

To reduce megawatt demand over the time period during which a capacity shortage is experienced and to arrest frequency decay.

Criteria:

A sudden or unanticipated capacity shortage exists when either of the following occurs:

There is a system disturbance which isolates all or part of the EKPC system from other
electric systems to which it is normally interconnected and EKPC loses outside
generation sources on which it is depending to meet its load.

or

• EKPC is still interconnected with other electric systems but the system frequency decays to 59.9 Hertz or less.

Procedure:

- 1. Place all on-line generating units on manual control and take them to their maximum megawatt output.
- 2. Bring all quick start generation on-line. This includes the Laurel hydro unit and the combustion turbines. Combustion turbines are to be started using the Emergency Start sequence.
- 3. Initiate direct load control to reduce consumer load demand.
- 4. Interrupt service to loads with interruptible rates. The EO Division Director notifies the member system managers of EKPC's actions. Information as to when and how long service will be interrupted, and the expected duration (hours, days) of the capacity shortage should be given to the member system managers.
- 5. The Electric Operations (EO) Division Director initiates the Load Reduction Alert by advising the Marketing and Communications (M&C) Division Director of the capacity shortage and advises the M&C Division Director to initiate EKPC's Load Reduction Procedure.

It is recognized that the power system conditions can change so quickly it will not be C SERVICE COMMISSION possible to take manual action to stop or arrest the changes. Steps 6 through 13 fall into KENTUCKY this category. They are listed here in the event there is time to initiate manual action before automatic, underfrequency load shedding begins.

6. The Production Division Director orders the shutdown of scrubbers if permitted by law. Buy emission allowances to maintain environmental compliance. PURSUANT TO 807 KAR 5.011.

SECTION 9 (1)
BY: Order C. neel

FOR THE PUBLIC SUNFICE COMMISSION

- Coordinate with neighboring companies to initiate system wide voltage reduction.
 Voltage schedules at the generating plants shall be as coordinated with neighboring utilities.
- 8. Ask member systems to initiate voltage reduction by using the substation voltage regulators.
- 9. The EO Division Director advises the M&C Division Director of the need for media appeal for a general voluntary load reduction.
- 10. The M&C Division Director, in coordination with other Kentucky electric utilities to the extent possible, notifies the member system managers and the media of EKPC's request for a general voluntary load reduction.
- 11. The EO Division Director requests the President and CEO, in coordination with other Kentucky electric utilities, to contact the PSC and request they have the Governor's office declare a statewide Energy Emergency in order that mandatory load reduction can be initiated.
- 12. The EO Division Director requests the M&C Division Director to contact the member system managers and ask them to initiate mandatory load reduction. Up to twenty percent load reduction, in five percent steps, will be called for.
- 13. Automatic load shedding will begin when the frequency decays to 59.5 Hz.

 Approximately 5% of the EKPC load will be shed at 59.5 Hz, another 5% at 59.3 Hz, another 5% at 59.1 Hz, another 5% at 58.9 Hz, and another 5% at 58.7 Hz.
- 14. If frequency is still decaying after automatic load shedding has occurred, and EKPC generation is deficient for its load, the System Operator shall initiate additional load shedding by opening breakers on the transmission system.
- 15 If frequency decays to 58.2 Hz at the generating plants the Unit Operators are under instructions to isolate the plant from the system. This action is preplanned and does not require additional authorization.
- 16. If the EKPC system or a part of it has separated from other electric systems, begin OF KENTUCKY system restoration when the isolated system frequency is within synchronizing range.
- 17. The Risk and Loss Coordinator advises the Kentucky Public Service Commission (PSC) of the situation.

 MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Ondar C. Nel
FOR THE PUBLIC SERVICE COLMISSION

EEP2 April 1, 1994 page 3 of 3

- 18. The EO Division Director advises ECAR of the situation.
- 19. The M&C Division Director will handle all media inquiries. Direct all media inquiries to the M&C Division Director.

Contacts/Reporting:

- EKPC President and CEO
- Electric Operations Division Director
- Marketing and Communications Division Director
- Production Division Director
- Risk and Loss Coordinator
- Kentucky Public Service Commission
- Other Kentucky Electric Utilities
- ECAR
- Governor's Office
- Member System Managers
- The Media

Reference Documents:

- ECAR Guide No. 1 Emergency Electric Procedures
- ECAR Guide No. 3 Emergency Procedures During Declining System Frequency

Revised <u>2/17/95</u>

Reviewed by: Law

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011,

SECTION 9 (1)

BY: <u>Onder C. Neel</u>
FOR THE PUBLIC SERVICE COLEJISSION

Coal Shortage

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Onder C. Mel
FOR THE PUBLIC SERVICE COLUMNSSION

COAL SHORTAGE

Situation and Assumptions:

East Kentucky Power's primary fuel in its electric generating stations is coal. Plans for handling a fuel shortage are restricted to a coal shortage. A regional shortage of coal can be caused by either wide-spread transportation problems or a coal miners' strike. Thirty days prior to an impending coal supply emergency such as an expected strike, EKPC will report its coal supplies to the Kentucky Public Service Commission. EKPC will inventory its coal piles to confirm the recoverable quantity of the coal in storage. If there has been a physical inventory of the stockpile in the past twelve months, the perpetual inventory record can be used for reporting purposes. The days burn in storage will be determined and computed daily in accordance with procedures as detailed below

Coal Supply Computation:

EKPC will estimate its coal supply by dividing the recoverable stockpile balance by the projected average daily burn.

The recoverable stockpile will be determined by using the perpetual inventory records to calculate the system stockpile and then subtracting 31,000 tons of estimated unrecoverable coal. The projected burn for the next 30 days will be divided by 30 to arrive at an average daily burn.

Coal Shortage Alert:

Coal shortages will be classified according to three levels of alert:

- Alert Level 1 Less than 21 days of coal and it is expected that the coal supply will continue to decline
- Alert Level 2 Less than 14 days and it is expected that the coal supply will continue to decline.
- Alert Level 3 Less than 7 days and it is expected that the coal supply wifiUBLIC SERVICE COMMISSION OF KENTUCKY CONTINUE to decline.

The purpose of the procedures for a coal shortage is to reduce energy consumption and conserve coal over the period for which coal supplies drop below established levels. MAR 31 1996

The Fuel Manager has the responsibility of monitoring and reporting coal supplies. SECTION 9 (1)

BY: <u>Onder C. Neel</u>
FOR THE PUBLIC SERVICE COLUMNSSION

EEP3 April 1, 1994 page 1 of 2

COAL SHORTAGE - ALERT LEVEL 1

Objective:

To reduce energy consumption and conserve coal over the period for which coal supplies drop below established levels.

Criteria:

There is a coal shortage due to widespread transportation problems or a general strike in the coal mines or other situations that keep coal from being delivered. Average maximum burn coal supply is less than 21 days and it is expected that the coal supply will continue to decline.

Procedure:

- 1. Take as much diversity power as allowed by contract or agreement.
- 2. Change the dispatch of all generating units to a coal conservation mode.
- 3. Discontinue all short-term, non-firm energy sales. Make emergency sales only to utilities agreeing to pay back the energy within 12 days.
- 4. a.) Use as much non-coal fired generation as possible.
 - b.) Substitute oil for coal as much as possible.
- 5. Purchase as much energy as necessary from outside generation.
- 6. The Risk and Loss Coordinator advises the Kentucky Public Service Commission (PSC) of the situation.
- 7. The EO Division Director advises ECAR of the situation.

Contacts/Reporting:

- EKPC President and CEO
- Production Division Director
- Electric Operations Division Director
- Fuel Manager
- Environmental Affairs Manager
- Generating Plant Managers
- Marketing and Communications Division Director
- Member System Managers
- Kentucky Public Service Commission
- ECAR

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Quedes C. Neel
FOR THE PUBLIC SERVICE COLONISSION

EEP3
April 1, 1994
page 2 of 2

Reference Documents:

- ECAR Guide No. 1 Emergency Electric Procedures
- Load Reduction Procedure

Revised	Reviewed by: Faul Catchin
	July 1, 1994

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Onder C. Neel
FOR THE PUBLIC SERVICE CO. MISSION

COAL SHORTAGE - ALERT LEVEL 2

Objective:

To reduce energy consumption and conserve coal over the period for which coal supplies drop below established levels.

Criteria:

There is a coal shortage due to widespread transportation problems or a general strike in the coal mines or other situations that keep coal from being delivered. All sources from which to purchase power have been exhausted. Average maximum burn coal supply is less than 14 days and it is expected that the coal supply will continue to decline.

Procedures:

- 1. Discontinue all but diversity and emergency energy sales to other utilities. Cut diversity sales as much as allowed by contract and agreement. Make emergency sales only to utilities agreeing to pay back the energy within 7 days.
- 2. The Environmental Affairs Manager shall request the Kentucky Public Service Commission (PSC) and the U.S. Environmental Protection Agency (EPA) to lift all environmental restrictions in order to operate generating units as coal efficient as possible.
- 5. The Production Division Director shall order the shutdown of scrubbers if permitted by law. Buy emission allowances to maintain environmental compliance.
- 6. The Electric Operations (EO) Division Director initiates the Load Reduction Alert by contacting the Marketing and Communications Division Director and advising him of the anticipated coal shortage.
- 7. The Marketing and Communications (M&C) Division Director puts into effect EKPC's

 Load Reduction Procedure.

 PUBLIC SERVICE COMMISSION
 OF KENTUCKY
- 8. The EO Division Director notifies the member system managers of EKPC's intent to EFFECTIVE interrupt service to loads with interruptible rates. Information as to when and how long service will be interrupted, and the expected duration (hours, days) of the Capacity shortage should be given to the member system managers.

PURSUANT TO 807 KAR 5.011,

9. If system conditions permit, coordinate with neighboring companies to initiate system CTION 9 (1)

wide voltage reduction. Voltage schedules at the generating plants shall be as Coordinated with neighboring utilities.

FOR THE PUBLIC SERVICE COLUMNISSION

10. If system conditions permit, ask member systems to initiate voltage reduction by using the substation voltage regulators.

EEP4 April 1, 1994 page 2 of 2

- 11. The EO Division Director coordinates with other Kentucky electric utilities in planning the announcement of a request for a general voluntary load reduction.
- 12. The EO Division Director notifies the M&C Division Director of the need for media appeal for a general voluntary load reduction.
- 13. The M&C Division Director coordinates EKPC's request for a general voluntary load reduction with the member system managers and the media.
- 14. The EO Division Director requests the President and CEO, in coordination with other Kentucky electric utilities to the extent possible, to contact the PSC and request they have the Governor's office declare a statewide Energy Emergency.

Contacts/Reporting:

- EKPC President and CEO
- Production Division Director
- Electric Operations Division Director
- Generating Plant Managers
- Fuel Manager
- Environmental Affairs Manager
- Marketing and Communications Division Director
- Member System Managers
- Kentucky Public Service Commission
- ECAR
- U.S. Environmental Protection Agency
- Other Kentucky Electric Utilities
- Governor's Office
- The Media

Reference Documents:

• ECAR Guide No. 1 - Emergency Electric Procedures

PUBLIC SERVICE COMMISSION OF KENTUCKY **PEFECTIVE**

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Onton C. nul FOR THE PUBLIC SEN HOE CO. MISSION

Revised	

Reviewed by: Faul Cathrai

EEP5 April 1, 1994 page 1 of 1

COAL SHORTAGE - ALERT LEVEL 3

Objective:

To reduce energy consumption and conserve coal over the period for which coal supplies drop below established levels.

Criteria:

There is a coal shortage due to widespread transportation problems or a general strike in the coal mines or other situations that keep coal from being delivered. Average maximum burn coal supply is less than 7 days and it is expected that the coal supply will continue to decline.

Procedures:

- 1. Discontinue all emergency sales to other utilities.
- 2. The Electric Operations (EO) Division Director asks the Marketing and Communications (M&C) Division Director to coordinate with other Kentucky electric utilities and request the member system managers to initiate mandatory load reduction. Up to twenty percent load reduction, in five percent steps, will be called for.

Contacts/Reporting:

- EKPC President and CEO
- Electric Operations Division Director
- Marketing and Communications Division Director
- Member System Managers
- Kentucky Public Service Commission
- ECAR
- U.S. Environmental Protection Agency
- Other Kentucky Electric Utilities
- Governor's Office
- The Media

PUBLIC SERVICE COMMISSION OF KENTUCKY **EFFECTIVE**

Reference Documents:

• ECAR Guide No. 1 - Emergency Electric Procedures, Appendix A

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Reviewed by: Revised 2/17/95

Load Reduction Procedure

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Order C. Neel
FOR THE PUBLIC SEN NOE CO. S. MISSION

EEP6 April 1, 1994 page 1 of 1

LOAD REDUCTION PROCEDURE

Objective:

To reduce megawatt demand at EKPC facilities over the time period during which a capacity shortage is anticipated.

Criteria:

This procedure is implemented when an Load Reduction Alert is issued. The Electric Operations (EO) Division Director has the responsibility of issuing a Load Reduction Alert.

Procedure:

- 1. The Marketing and Communications (M&C) Division Director receives notice from the Electric Operations Division Director of a capacity shortage.
- 2. The M&C Division alerts employees to the need for internal load reduction.
- 3. Each Division Director is responsible for seeing that their employees are participating in achieving the largest load reduction possible while still maintaining the service of the facility and not unduly jeopardizing safety.
- 4. Examples of load reduction are:
- turning off all but a minimum of indoor and outdoor lighting
- turning off microcomputers, printers, copiers and other office equipment except as they are being used
- in the winter, setting thermostats to 68 degrees, and in the summer to 76 degrees
- turning off auxiliary equipment at generating plants except as needed to maintain safety and reliability

Contacts/Reporting:

- Electric Operations Division Director
- Marketing and Communications Division Director
- All Division Directors

Revised	Reviewed by: Fand Citches	ž <u>e</u>
	July 1, 1994	PUBLI

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Oserland C. Meel
FOR THE PUBLIC SERVICE CO. CAISSION

APPENDIX

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Oscher C. Mel
FOR THE PUBLIC SANDE CO. MISSION

Commonwealth of Kentucky Emergency Electric Procedures Annex P

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Onder C. Neel
FOR THE PUBLIC SERVICE CO. MISSION

APPENDIX P-1 ENERGY ORGANIZATION

Kentucky Department of Mines and Mineral Ironworks Pike	als	(606)	254-0367
Lexington, Kentucky 40501	FAX	(606)	255-4457
Public Service Commission Schenkel Lane		(502)	564-3940
	FAX	(502)	564~7279
Kentucky Petroleum Council 403 State National Bank Building		(502)	875-3742
Frankfort, Kentucky 40601	FAX	(502)	875-1171
Kentucky Coal Association 340 South Broadway		(606)	233-4743
Lexington, Kentucky 40504	FAX	(606)	233-4745
ECAR East Central Electric Reliability P. O. Box 102	Coop	(216) 456-2488
	FAX	(216)	456-3648
Kentucky Division of Energy Natural Resources and Environmental Protection Cabinet 691 Teton Trail		(502)	564-7192
Frankfort, Kentucky 40601	FAX	(502)	564-7484
Governor's Office of Coal and Energy Policy Spindletop Research Park Ironworks Pike		(606)	252-5535
	FAX	(606)	255-4457
Kentucky Petroleum Marketers Associati 622 Shelby St.	on	(502)	875-3758
Frankfort, Kentucky 40601	FAX	(502)	875-4515
Kentucky Propane Gas Association Kings Daughters Drive		(502)	875-2686
Frankfort, Kentucky 40601	FAX	(502)	227-7004
			PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Ordan C. Neel
FOR THE PUBLIC SERVICE COUNTISSION

APPENDIX P-2

ALTERNITIVE	CONCEPT	PRINCIPAL ADVANTAGES	PRINCIPAL DISADVANTACES	Statuty
ज्ञालाहर रहे।	Control fuel soles at resolt town through a variety of strategies:			
, (e. 	fation coupons must be presented when purchasing gaseline.	Construction of feel supply; company serve as selectrocod feel may substitute for popular in case of critical werters.	Administrative headschee	Strict rationing may be neces- sory if enter ore not impound- ed. Such controls will almost corteinly be needed following an attach, however.
. 046/600	Solos to cors with add (even) license plates are persitted enly on add-(even-)numbered days; unrestricted purchases persitted in rish are on third day of execution	Sectits post everycation flow	Might be perceived as inequit. abis; could limit desiring of rish eres gas inventories ever three-day period.	Possibly useful as a means of aprending deporture times, if carefully coordinated with other scheduling techniques
· Perchase Limits	To single perchase shall earers over a pre-specified empent (for instance, 10 gallons)	Peralta more equitable dis- tribution under shortage conditions.	Prevente draining of rish eres	Pessibly worful in hest area; should not be applied in pish area.
" Vinimus Sales Levels	* Purchases permitted only if ges in tent is below a pre- specified level (1.e., half full).	Shortone lines by provential topping-off; limite inventory in geselles tenks.	Potentially frustrating 1f limit to low; ineffectual If limit to not high.	Of listed impertance; if used, different finite should be comblished in hear 4 rish ores (1.e., helf tank in rith hear eres, 3/4 tank in rith eres).
DISTRIBUTION STATES	Actives feel supplies to best eres built storage facilities & gaseline stations	 		Redirection of supplies in secondary discribation must be accomplished. The
* Redirect Flow Free Pish to Host Area Feri-	* Take supplies directly from pipeline terminals & refin- eries to all host even facil- lties & gas stations.	Gots fuel where needed with minima disruption of ealst- ing network; minimizes values- ability of secondary lawn- teries.	Introceed rich area exposure for distributors.	Circumitances.
Personals feranals	* Intercept pipeline flows before rish area terminals are reached.	Minipiese fish area especial of distribution officiency.	Bistagts normal flow pattorns.	
F				

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5.011, SECTION 9 (1)

BY: Onder C. Mel
FOR THE PUBLIC SERVICE CO. F. IISSION

	SUPMAY		Should be encouraged where con- sistent with state-lovel redis- tribution plans. Any regulatory bars to this practica should be lifted, but most firms pro- fer to maintain integrity of their spitcas and this should not greatly inhibit flow.	Probably unaccessory; peralt only if distribution system bettleneths develop.	Permit during three-day relocation period.		Nos been recommended for public safety purposes & should also result in significant fuel savings.	Use buses whenever passible, both in committing critical webers & in presiding hast area transportation.
	PRINCIPAL DISADVANTACES		Potential abuse; possible regulatory listentians; additional administrative handschet.	Reduced engine performance.	If peralited over extended period, dange to catalytic convertor will result.		Perceived infringement of personal liberties.	Marker commercial required
	PRINCIPAL ADVANTAGES		Increases flesibility in developing resilection schemes.	Simplifies and speeds distri- bution powerhat.	Entures that late-madel core will be able to refuel along everation route.		Significant fuel conservation potential; simplifies security procedures.	Puel echiorration.
PUBLIC SERVICE COM OF KENTUCKY EFFECTIVE MAR 3 1 1996 PURSUANT TO 807 KAR 5	CONCEPT	Speed distribution & simplify redirection procedures by fermitting confusion of products.	Drop brand distinctions & silon retail stations to accept deliveries from any producer.	Drop praduct separation & porati Interningling of regular, unleaded & premium products.	. Allew leaded ges to be used in all sutes.	Introduce various fuel con- servation measures:	· impound risk area auton once hest area is reached or institute temperary para system.	the buse estensively in critical worler tempts if heat eres transportation.
SECTION 9 (1) BY: C. New FOR THE PUBLIC SURVICE COMM	9	PERCT INTENTION	rangers	Olitainite Predect	· fire;nate Bestyletions on Use of Leaded Casoline	CONSERVATION OF SURES	· Clair 'ite of Delocated Vehicles	Fossible

ANNEX P ENERGY SUPPLY

I. SITUATION AND ASSUMPTIONS

- A. Severe weather conditions, such as blizzards, ice storms, heat waves or tornadoes may cause shortages in energy supplies by disrupting transportation services, interfering with delivery through transmission lines, or by forcing higher than normal usage of energy for heating or cooling.
- B. Various technological, man-made, or natural incidents, including terrorism, employee strikes, or international conflict could cause curtailment of energy supplies.
- C. The relocation of the U.S. population from risk areas to host areas, in the event of Crisis Relocation, will necessitate a reallocation within the energy distribution system.
- D. A major attack on the United States could seriously cripple Kentucky by making energy resources extremely scarce. Rationing to conserve Kentucky's energy resource would have to be undertaken immediately.
- E. The involvement of the U.S. in a major conventional war would cause the reallocation of energy resources forcing rationing or voluntary curtailment of their use.
- F. The only energy resources Kentucky is self sufficient in are coal and electricity, all other energy sources must be imported to some extent.
- G. Depending on the situation, national or state wide rationing, or conservation, may be imposed; this could cause activation of Annex O Economic Stabilization and Resource Management. In order to activate Annex O, new federal legislation would have to be enacted.

II. MISSION

The purpose of this annex is to provide for the organization, coordination, and direction of all energy resources within the state for use during an emergency. This is done by defining and establishing respective COMMISSIC sibility and authority in energy matters at the various KENTUCKY levels within the state.

III. DIRECTION AND CONTROL

MAR 01 1996

Kydes Pursuant TO 807 KAR 5.011, SECTION 9 (1)

BY: Onder C. Neel
FOR THE PUBLIC SERVICE COLLAISSION

- A. The Division of Energy, Department for Natural Resources, Natural Resources and Environmental Protection Cabinet (NREPC), in coordination with utilities under the jurisdiction of the Public Service Commission will control, direct and coordinate all energy needs and establish orderly procedures for furnishing emergency preparedness requirements to energy representatives. This will be done by issuing regulations under the authority of KRS 39.400 and KRS 39.409.
- B. The energy industry will form a composite organization of adequate size, with a qualified and competent staff, to direct the emergency preparedness operations of their respective industries.
- C. Each industry, commercial establishment, and warehouse facility will conduct its own operation under guidance issued by the NREPC.
- D. If the federal control of energy sources is established by the federal government, Kentucky will put into effect its Emergency Resource Management Plan. (See Annex O).

IV. CONCEPT OF OPERATIONS

A. State Government

PUBLIC SERVICE COMMISSION OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Assistant C. New FOR THE PUBLIC SERVICE COMMISSION

The Natural Resources and Environmental Protection Cabinet (NREPC) is assigned the responsibility of operating the State Energy Resource Management Board that directs, controls, coordinates and establishes operating procedures for the energy organization at all levels. In carrying out this plan, the board will be assisted by the Public Service Commission and the Department of Mines and Minerals.

- The Secretary of NREPC will be director of the State Energy Resource Management Board. The board will advise the director of problems and recommend procedures.
- 3. The Energy Resource Management Board will consist of a Chairman and five members. The Director of the Board will serve as chairman. Other members will represent solid fuels, petroleum, natural gas, electric power and supporting resources.
- 4. The Energy Resource Management Board will have three advisory committees. These will be:

- a. Petroleum Products Committee. It will be chaired by the Secretary of the NREPC or assistant, and have representatives of the petroleum industry.
- b. Gas and Electrical Service Committee. It will be chaired by the Chairman of the Public Service Commission and have representatives of the gas and electrical industry.
- c. Coal Products Committee. It will be chaired by the Commissioner of Mines and Minerals and have representatives of the coal industry.
- Plans for individual emergency energy supplies will be developed as follows but will be coordinated with NREPC.

a. Petroleum Products

The responsibility for the allocation of petroleum products in an emergency is vested in the Kentucky NREPC by state statute.

- b. Gas and Electricity
 - 1) The responsibility for the allocation of gas and electricity for jurisdictional utilities is vested in the Public Service Commission by statute.
 - 2) The Public Service Commission will develop a natural gas and electrical allocation plan for jurisdictional utilities.

c. Coal

The responsibility for the management of a coal shortfall is vested in NREPC, Division of Energy by statute. Common procedure is for Public Protection and Regulation Cabinet, Department of Mines and Mineral SEC SERVICE COMMISSION and the NREPC to coordinate the allocation. OF KENTUCKY The development of these allocation plans EFFECTIVE will be the responsibility of the NREPC.

6. LP gas is not regulated by any state agencMAR 0 1 1996
The state can only make suggestions and put
into place a set-aside program for directs want TO 807 KAR 5.011,
SECTION 9 (1)

KyDES-05-178- Uselin SERVICE COLEMISSION

supplies to be made available for critical facilities or hardship needs.

B. Local Government

- County governments are responsible for the coordination of all energy resources within their respective areas, as directed by the NREPC.
- 2. Each County Judge/Executive will appoint an Energy Resource Coordinator to cooperate with the state board.

C. Industry

The energy industries are responsible for operating their systems and facilities to provide the maximum possible service within their capabilities, and fulfill essential needs as specified by appropriate governmental authorities. This includes responsibility for management, continuity, personnel and facility protection, conservation of supplies, restoration of damaged lines and terminals, and the expansion or improvement of systems as practical and as necessitated under emergency conditions. In order to carry out these responsibilities, it will be necessary to organize and operate a composite headquarters. This will consist of the state/industry/transportation organization of petroleum, gas, coal and electrical sections. Operational control of the energy industries will remain, at all times, with the responsible officials of the industry.

D. In the event of an energy shortage, the following general steps can be taken by the Commonwealth, as appropriate.

PUBLIC SERVICE COMMISSION appropriate.

OF KENTUCKY
EFFECTIVE

1. Minimize

1. Minimize transportation impediments.

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: And A Mal

- a. Request the assistance of local and state agencies in road clearing activities during periods of snow and ice (including clearing private driveways if necessary for delivery of fuel supplies).
- b. Request through transportation companies involved or appropriate federal agencies the priority movement of petroleum products, coal, or other fuels on rail and waterways.
- c. Work with appropriate state and federal

agencies to remove restrictions on highway transportation (e.g., weight limits, drivers hours, route restrictions, etc.) which may be removed without causing safety or other problems.

- d. Assist suppliers and consumers in locating transportation for petroleum products, coal, or other fuels.
- 2. Request all County Judge/Executives, and Mayors to develop local programs designed for energy conservation, particularly in the commercial sector. Urge energy savings goals of 40 percent and 20 percent depending on the relationship to meeting "essential human needs."
- 3. Request that state and other offices be closed one day per week by extending the normal working day the other four days.
- 4. Request the Cabinet for Human Resources ensure that claims and benefits for unemployed workers are taken and promptly processed.
- 5. Meet with representatives of suppliers of affected energy sources to fully assess the problem.
- 6. In a strike situation, utilize state police and national guard to escort trucks carrying fuel supplies.
- E. The following actions may be taken with regard to specific energy sources.
 - 1. Propane and Petroleum Products
 - a. Request U. S. Department of Energy to require regional shifts of petroleum products into Kentucky.
 - b. Request consumers of propane and petroleum products to maximize conservation efforts during shortage period.
 - Public SERVICE COMMISSION

 c. Initiate reduction measures for state OF KENTUCKY
 government facilities. EFFECTIVE
 - d. Promote substitution of other fuels where feasible. Aid in securing variances to a Mark 1996 pollution regulations so facilities which are equipped to burn coal may do so. PURSUANT TO 807 KAR 5.011.

BY: Contac C. Newl

KyDES-05-90

- e. Request implementation of special relief measures, as appropriate from the federal government.
- f. Interact with U.S. Department of Energy on emergency demand constraint measures which may be implemented. Considerations may include:
 - 1) gasoline rationing.
 - 2) mandatory boiler efficiency standards.
 - 3) mandatory reduction of parking spaces.
 - 4) mandatory temperature settings.

2. Natural Gas

- a. Request the general public to maximize conservation efforts (requests for conservation to be intensified as shortage increases).
- b. Initiate demand constraint measures at state government facilities.
- c. Promote the use of alternate fuels where feasible.
 - 1) Aid in securing variances to air pollution regulations so facilities which are equipped to use coal may do so.
 - Switch to petroleum products or propane.
 - 3) Assist gas utilities to get propane for peak shaving plants.
- d. Request the implementation of special relief measures as appropriate from federal government.
- e. Implement a natural gas pooling operation where feasible.
- f. Interact with U. S. Department of Energy on emergency demand constraint measures which may be implemented. Considerations may include:
 - gas rationing.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

- 2) mandatory boiler efficiency standards.
- 3) mandatory temperature settings.

3. Coal

- a. Voluntary cooperation of suppliers to resolve problems.
- b. Request coal users to maximize conservation efforts.
- c. Initiate demand restraint measures at state government facilities.
- d. If necessary, utilize coal from state owned stockpiles for essential needs.
- e. Request the implementation of special relief measures as appropriate from federal government (e.g., mandatory coal allocation program, Taft-Hartley Act).
- f. Promote the use of alternate fuels where feasible.
- g. Aid in securing temporary variances to air pollution regulations for facilities which are unable to obtain sufficient quantities of compliance coal.
- h. Interact with U. S. Department of Energy on emergency demand constraint measures which may be implemented. Considerations may include:
 - 1) coal rationing.
 - mandatory boiler efficiency standards.
 - 3) mandatory temperature settings.

4. Electricity

- A. Request users to maximize conservation efforts in coordination with utilities emergelic SERVICE COMMISSION gency plans.

 OF KENTUCKY
- b. Initiate demand restraint measures at state government facilities in response to emergency measures initiated by utilities.

 MAR 0: 1896
- c. Promote the transfer of electricity PURSUANT TO 807 KAR 5.011, shortage areas.

BY: Onton C. Newl KyDES-05-90 HE PUBLIC SERVICE COLLISSION

- Request the implementation of special relief measures as appropriate from state and federal utility commissions (e.g., mandatory purchases and sales of power at specified stockpile levels).
- e. Deal with essential needs as appropriate.
- f. The Public Service Commission has the authority for approving electricity curtailment plans for jurisdictional utilities.
- g. Interact with U. S. Department of Energy on emergency demand constraint measures which may be implemented. Considerations may include:
 - 1) electricity rationing.
 - 2) mandatory boiler efficiency standards.
 - 3) mandatory temperature settings.

F. Operational Phases

1. Preparedness Phase

a. Develop standard operating procedures.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE Develop a system of determining energy resources available after an incident.

c. Ensure that necessary forms are available in the event of an emergency.

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: 1. Tell
FUN 14 COS 20 CONTROL CO CONTROL SSION

familiar with their responsibilities.

Ensure that all personnel concerned are

Take part in tests and exercises as

required by state authorities.

f. Upon instructions from KyDES Executive Director or representative shift to

2. Response Phase

e.

a. Increased Readiness Period

Response Phase.

 Complete all steps not completed under Preparedness Phase. 1

- 2) Inform energy industry personnel to prepare for implementation of this annex.
- 3) Prepare to maintain control of supply and procurement of energy resources.

b. Emergency Operation Period

- Natural, man-made and technical disasters
 - a) Complete all steps not completed under Preparedness Phase.
 - b) Commence life saving and damage limiting operations.
 - c) Issue fuel rationing orders if necessary.
 - d) Advise the Governor on current and continuing functions, problems, and activities in the energy area.
 - e) Assist the Governor in carrying out the policies, plans, and instructions pertaining to energy resources.
 - f) Advise Governor on state energy resource needs.
 - g) Maintain current information on the availability of energy resources within the state.
 - h) Approve request for energy resources based on current policies.
 - i) Issue authorization for necessary use of energy resources to essential users.
 - j) Determine the best utilization of available energy resources supply. SERVICE COMMISSION
 - k) Keep records on workers made avail_OF KENTUCKY able, work undertaken, and hours EFFECTIVE worked.
 - 1) Upon instructions from KyDES Execut 1 1996
 tive Director or representative TO 807 KAR 5.011,
 SECTION 9 (1)

Kydes Yos 90 C. Nul

shift to Recovery Phase.

2) Nuclear Conventional War

a) Relocation Period

- (1) Complete all steps not completed under Preparedness Phase or Increased Readiness Period.
- (2) Commence operations (See Natural Disaster Energy Operation Period).
- (3) Inform energy industry personnel that rationing may be put into effect.
- (4) Issue fuel rationing orders if necessary.
- (5) Upon instructions from KyDES Executive Director or representative shift to Attack Period or Recovery Phase.

b) Attack Period

- (1) Provide fuel for the operation of community fallout shelters if so instructed.
- (2) Take shelter. During this phase, action will be limited to in shelter activities unless otherwise directed by the state DES Coordinator.
- (3) Upon instructions from KyDES Executive Director or representative shift to Recovery Phase.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR \$011, Recovery Phase SECTION 9 (1)

BY: A. Mel a. FUR BELLEVILLE SECONMISSION

- . Carry out operations as directed by EOC to save lives and property.
- b. Revert to Increased Period or Preparedness Phase upon direction of the EOC.
- c. Advise the Governor on current and continuing functions, problems, and activities in the energy area.

P-10

KyDES-05-90

- d. Assist the Governor in carrying out the policies, plans, and instructions pertaining to energy resources.
- e. Advise Governor on state energy resource needs.
- f. Maintain current information on the availability of energy resources within its jurisdiction.
- g. Approve request for energy resources based on current policies.
- h. Issue authorization for necessary use of energy resources to essential users.
- i. Determine the best utilization of available energy resources supply.
- j. Upon completion of the operation survey organization for cost of preparing for and conducting the operation.
- k. Critique operation for updating plan and standard operating procedures.
- 1. Upon instructions from KyDES Executive Director or representative shift to Preparedness, or Increased Readiness or Recovery Phase.
- m. Remember cleanup and restoration of property often continues long after emergency personnel have returned to normal operations.
- G. Increased Readiness Levels will be initiated by KyDES based on information furnished by FEMA. The required actions are explained in Annex D of this plan.

 PUBLIC SERVICE COMMISSION

H. Reports concerning the availability and need of all EFFECTIVE types of energy in the state will be made to KyDES in conformity with Annex U.

V. ADMINISTRATIVE SUPPORT

MAR 0 1 1996 PURSUANT TO 807 KAR 5.011.

- A. The Energy Management Board will request additiona SECTION 9 (1) administration support state government and the C. Tull energy industry.

 FOR THE PUBLIC SCHOOL COMMISSION
- B. Augmentation and Training of emergency organization will be carried out as set forth in FEMA CPG 1-7 -

"Guide for Increasing Local Government Civil Defense Readiness During Period of International Crisis."

VI. GUIDANCE PUBLICATIONS

- A. Civil Defense and Emergency Planning for the Petroleum and Gas Industries, FEMA Publication
- B. Prototype Plans for Production and Maintenance of Electric Power FEMA CPG 2-8.6

VII. APPENDIX

- P-1 Energy Organization
- P-2 Summary of Motor Fuel Control and Distribution Options

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

EY: CARRIED S. M. MELLINGE COMMISSION

ECAR Guide No. 1

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

FOR THE PUBLIC SLAME CONTINSSION

ECAR GUIDE NO. 1 EMERGENCY ELECTRIC PROCEDURES

Approved by the Coordination Review Committee
April 9, 1980
Revised October 15, 1986

Approved by the ECAR Executive Board May 1, 1980 Revised November 6, 1986

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Order C. Neel
FOR THE PUBLIC SERVICE COLUMNSSION

ECAR GUIDE NO. 1 EMERGENCY ELECTRIC PROCEDURES

I. GENERAL

It is recognized that in the event there are shortages or disruptions in electric supply, each ECAR company should have an emergency procedures plan to implement, as may be necessary, to restore and maintain service to the extent possible under the circumstances. These procedures will vary to some degree between companies to cover local conditions and individual system characteristics. The purpose of this Guide is to provide an outline which the ECAR systems can use to develop specific procedures to deal with various types of electric emergencies.

Industrial and large commercial customers are expected to develop internal load curtailment procedures if requested to do so by their serving utility and place in effect such procedures when requested to do so by the serving utility or when ordered to do so by the Governor or other authorized regulatory body.

To assure equitable treatment of customers served directly or indirectly by a utility, its wholesale customers (purchasers for resale) are expected to follow the practices and procedures outlined in this Guide when called upon to do so by the appropriate regulatory body.

Electrical emergencies can be of varying duration and causes, as such, they generally require different emergency procedures to be placed in effect. Such emergencies or supply deficiencies can be short-term or long-term, anticipated or unanticipateWBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 8076K ARD 5.086. SECTION 9 (1)

BY: Onder C. Heel
FOR THE PUBLIC SERVICE COLAMISSION

Essential health and safety customers will be given special consideration as might be mandated by the State Utility Commission or other duly constituted authority having jurisdiction. Such customers should install emergency generation equipment if continuity of service is essential. In the case of customers supplied from two utility sources, only one source will be given special consideration. Other customers, who in their opinion have critical equipment, should install emergency battery or portable generating equipment.

Electric utilities shall promptly advise the State Utility Commission and other appropriate authorities having jurisdiction within the systems' service area of the nature, time, and duration of all implemented emergency conditions and procedures which affect normal service to customers. It is expected that commissions may order the implementation of additional procedures or the termination of the procedures previously employed when circumstances so require.

As may be appropriate in accordance with the nature of the occurring or anticipated emergency, the following procedures will be initiated by each system. 1

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

EY: CHARLES & Neel FUR THE TOP OF COMMISSION

A "system" is defined as the control area of a utility. The "control" area is defined as: "The area of operation of an electric utility irrespective of political boundaries to which a common generation control scheme is applied."

II. SHORT-TERM CAPACITY SHORDAGES

A. Short-Term Capacity Shortages Following System Separation

In the event of a sudden transmission separation which isolates all or parts of a system or systems from the interconnection and results in the area so isolated being deficient in generation, only unloaded capacity on line (spinning reserves), and/or load shedding by underfrequency relays will be effective in arresting the frequency decline.

If the generation deficiency is of such magnitude that the rate of frequency decay is too large for the on-line spinning reserve to be effective, automatic underfrequency load shedding will occur. The underfrequency load shedding schedule within the ECAR area, as set forth in ECAR Document No. 3 is as follows:

STEP	FREQ-HZ	1 LOAD SHED	
1	59. 5	5.0	
2	59.3	5.0	
3	59.1	5.0	
4	58.9	5.0	
5	58.7	5.0	

If the spinning reserve of one or more of the load shedding steps in combination with the spinning reserve is successful in arresting the frequency decline, one or more of the following steps will be taken, as appropriate, to return the isolated area frequency to within synchronizing range of the interconnected network.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:09 1,NOV 86 SECTION 9 (1)

BY: Order C. Neel
FOR THE PUBLIC SERVICE COMMISSION

- o Service will be interrupted to controlled service loads and to loads served under interruptible tariffs.
- O Distribution voltage may be reduced, if applicable, but not more than five percent.
- Manual load shedding of firm customers' loads will be instituted.

Once the frequency of the isolated area is returned to synchronizing range of the interconnected network, system restoration will proceed as outlined in Section III-C, Coordinated System Restoration-General Principles.

B. Short-Term Capacity Shortages-No System Separation

In the event of an unanticipated widespread deficiency of generation, the system frequency of the entire interconnection can be expected to slowly decline until a balance of load and generation is reached at a subnormal frequency or automatic underfrequency load shedding occurs. If possible, the frequency decline should be arrested to prevent the operation of the automatic underfrequency load shedding as shedding load in areas that are not deficient can cause transmission to overload. The systems in ECAR should provide in their Emergency Procedures, the actions to be taken during such an event. These procedures should include the action to be taken when the system itself is experiencing a capacity deficiency or when its neighboring systems are experiencing capacity deficiencies. In either case,

PUBLIC SERVICE COMMISSISSECT of the action should be to restore the system OF KENTUCKY EFFECTIVE requency to normal and return all interchange to schedule.

MAR 01 1996

PURSUANT TO 807 KAR 5.011, SECTION 9 (1)

BY: Colonia A. Neel
FOR INC FEEL OF BEHT OF COMMISSION

4

Action to be considered.

- 1. To restore the balance between load and generation if the control area is deficient
 - o Load all available generation resources.
 - o Enter into emergency purchases to the extent that generation resources are available and tie line loading will allow.
 - o Interrupt service to controlled service loads and to loads served under interruptible tarriffs and if applicable reduce voltage.
 - o Interrupt service to firm customers.
- 2. To assist another control area that is experiencing a capacity deficiency.
 - o Provide additional assistance by scheduling emergency sales to the deficient system(s) to the extent that generation resources can be made available and tie line loading will allow.
 - o Interrupt service to controlled service load and to loads served under interruptible tariffs, and if applicable reduce voltage to increase emergency sales if the deficient system has taken similar emergency action.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

5

MAR 0 1 1996

6 NOV 86

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Condens C. Heel
FOR THE PUBLIC SERVICE COLUMNSSION

C. Anticipated or Predictable Short-Term Capacity Shortages

In the event an emergency condition of short-term duration is anticipated or predicted which cannot be relieved by sources of generation within or outside the utility's service area, the following steps will be taken at the appropriate time and in the order appropriate to the situation:

- The internal demand of generating plants and other facilities owned by the utility will be reduced to the maximum extent possible consistent with the maintenance of service.
- 2. During the hours of maximum system demand, available load management procedures will be implemented to controlled service loads and to loads rendered service under interruptible rates in accordance with approved tariffs.
- 3. If provisions are available to do so, reduce voltage, taking into consideration its effectiveness as a load relief measure and the effect on customer's equipment and service.
- 4. Voluntary load reductions will be requested of large commerical and industrial customers by procedures established in their respective curtailment plans.
- 5. Voluntary curtailment of all customers will be requested PUBLIC SERVICE COMMISSION
 OF KENTUCKY through appropriate media appeals.

 EFFECTIVE

- o Interruption of selected distribution circuits during the period(s) of maximum system demand while minimizing, to the extent practicable, interruption to facilities which are essential services.
- o Mandatory load curtailment of large commercial and industrial customers by procedures established in their respective curtailment plans.

III. COORDINATED SYSTEM RESTORATION

If a portion of the ECAR region experiences a wide-spread area outage or becomes separated from the interconnected system, previously agreed upon practices and procedures for system restoration common to all systems will be executed as soon as practicable.

Since the affected area may include part or all of one or more systems and the systems may have different characteristics, a detailed plan cannot be prepared which would be applicable to all. The principles here stated provide the basis for each ECAR system's plan consistent with its own individual needs and characteristics. These plans are to be periodically reviewed to assure their inter-system compatibility.

Three situations can be postulated which will require the invoking of the restoration procedures. They are:

- 1. The complete blackout of an area due to that area's separation from the interconnection and no generation operating within the area previous to the separation;
- 2. The complete blackout of an area caused by the area's separation from the interconnection and accommission of OF KENTUCKY PEFFECTIVE

7

MAR 01 1996

6 NOV 86

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

the generation operating within the area prior to the separation;

3. The separation of an area from the interconnection and a deficiency of generation within area following the separation. Load and generation are brought into balance by the operation of load shedding relays, but the frequency of the area is above or below that of the interconnection.

Each of the three situations stated above requires separate consideration. The principles for restoration on which the ECAR systems have based their detailed plans are as follows:

GENERAL PRINCIPLES

Following an area separation, which may include all or parts of several systems, an immediate assessment of the status of the generation, transmission, and subtransmission facilities in the area should be made, and coordinated procedures to restore the area agreed upon by the affected systems. Every effort should be made to determine the originating cause of the disturbance so as to assure that the remaining network will not be jeopardized when restoration is attempted.

A. Area Isolated, Black and no Generation Operating Within the Area
Prior to the Occurrence

PUBLIC SERVICE COMMISSION
OF KENTUCKY

EFFECTIVEtems to be coordinated are:

MAR 3.1 1996o Sectionalize the subtransmission system within the area into PURSUANT TO 807 KAR $5.0\,\mathrm{T}$. SECTION 9.(1)

BY: Order C. Must Restore the higher voltage transmission systems as voltage FORTHER DELICATION CONDITIONS Permit and loading conditions require.

- O Using the subtransmission as required, begin to reconnect radial load fanning out from areas contiguous to the black-out area.
- o continue adding load as conditions allow. After each block of load is restored, make an assessment of the situation in and adjacent to the affected area, so as to determine the loading patterns and voltage conditions within the network.
- o At no time allow the amount of load restored to be larger than the spinning reserve capability of the system or systems from which the area is being energized.

B. An Area Isolated, Black and All Generation Operating Within the Area Prior to the Occurrence Lost as a Result of the Separation.

Items to be coordinated are:

- o Determine if any of the generation lost can be recovered in time to assist restoring the area. If a cranking source is available at a power plant(s), it should, by prearranged procedures, be placed in service and made available to restart lost generation at the plant. The plant(s) should be brought up to synchronizing speed, and if at all possible, restore local loads.
- o If local cranking sources are not available at a plant(s), prearranged transmission paths should be made available as quickly as possible to allow the plants to be restarted and synchronized to the main interconnected system. It should be recognized when planning remote startup transmission paths that due to abnormal voltage and reactive conditions that can exist, the relays protecting the Bransmission of KENTUCKY EFFECTIVE

MAR 0 1 1996

6 NOV B6

- O As the plants are synchronized, they should be brought to the maximum output available as quickly as possible, subject to transmission capacity and stability constraints so as to provide reserve tie capacity for the reconnection of load within the area.
- O As the plants are loaded, area restoration should continue, using the procedures stated in Section A, above. Precautions should be taken to prohibit the uncontrolled automatic closing of transmission circuits by automatic synchronizing devices.
- C. The Separation of an Area From the Interconnection With Some or All of the Generation Remaining and the Area Not Completely Blacked Out. Underfrequency Load Shedding has Occurred.

This will probably be the most difficult situation with which to cope if it occurs on a large scale, due to the almost infinite combinations of circumstances that can exist. However, in most cases, the following procedures can be followed.

PUBLIC SERVICE COMMESION is to be directed toward OF KENTUCKY estoring frequency and resynchronizing the isolated area to the EFFECTIVE interconnected system. It is probable that the generation and transmission facilities in the isolated area will be heavily Stressed. An uncoordinated attempt by systems in the area to PURSUANT TO 807 KAR FASTORE frequency and/or load can result in additional cascading SECTION 9 (1)

BY: Order Commescional and other separation; therefore, prior to taking any FOR THE PUBLIC SENTICE COMMESCIONAL actions, an immediate assessment of the status of generation and transmission facilities in the isolated area should be made, and procedures agreed upon by the affected systems.

The transmission network within the area should be kept intact as long as possible, dependent upon the emergency overload capabilities of the facilities. However, if frequency has declined and remains below 58.5 Hz and additional manual load shedding has not proven successful, controlled separation within the isolated area may be considered.

Items to be coordinated are:

- o Transmission lines within the isolated area which have tripped during the disturbance should be left open until they can be closed with assurance that such closure will not jeopardize transmission and generation facilities that have remained in service.
- o Synchronization of the isolated area with the interconnected network is to be done as soon as possible in order that the interconnected systems may help support the restoration of any load shed within the area during the occurrence. Synchronization should be done on a controlled and coordinated basis after an assessment of transmission and generation capabilities is made.
- o In order to prevent premature uncontrolled automatic reclosure of individual interconnections, provisions must be provided to prevent the operation of automatic synchronizing relays.
- o Priority is to be given to providing generating plants start-up power if a plant can be brought up in time to be of assistance to the area.

11

o Restoration of load that has been shed is to begin only after adequate spinning reserve has been established with WERVICE COMMISSION OF KENTUCKY EFFECTIVE

6 MAR 86 1 1996

affected area. Full coordination between the systems involved should be maintained throughout the restoration process to prevent adding load faster than generation and transmission capability permits.

IV. LONG-TERM CAPACITY AND PUEL SHORTAGES

The following actions shall be implemented until it is determined that any or all actions may be terminated. The public shall be immediately advised through appropriate media sources of the implementations of these procedures.

It must be recognized that these procedures will only permit an electric utility and its customers to cope with long-term shortages and are not solutions to the basic problems.

A. Long-Term Capacity Shortages

If an emergency situation of long-term duration arises out of a capacity shortage which cannot be relieved by sources of generation within or outside of the utility's control area the following actions shall be taken in the appropriate order as required:

PUBLIC SERVICE COMMISSION Curtail use of non-essential energy on premises controlled by EFFECTIVE the utility.

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Constant C. Trul
FOR THE HUDLIG SERVICE COMMISSION

If provisions are available to do so, reduce voltage, taking into consideration its effectiveness as a load relief measure and the effect of customer's equipment and service.

During the hours of maximum system demand initiate voluntary energy curtailment by all customers by:

- a. Direct contact with industrial and large commercial customers requesting them to implement their electric load curtailment plan.
- b. Requesting through mass communication media, voluntary curtailment by all other customers of a minimum of ten percent of their electric use.
- 4. Mandatory load curtailment steps will be implemented only on the order of the Governor or other duly constituted The serving utility in executing these actions authority. under said order, is relieved of any liability as to their consequences to life, health, or property.
 - a. Implement procedures to curtail the electric demand of other non-residential customers to the levels and times specified by the utility. Upon prior arrangement and mutual agreement with the serving utility, customers may effect their electric demand reduction on a corporate basis within an individual utility's service area.
 - b. Implement procedures to curtail further the demand on customers covered in (a) above to load levels and at the time specified by the utility.
 - c. Interrupt selected distribution circuits during the period(s) of maximum system demand on a rotational basis in accordance with specified load reduction amounts, while minimizing, to the extent practicable, interruption to facilities which are essential services.

PUBLIC SERVICE COMMISSION OF KENTUCKY **EFFECTIVE**

MAR 01 1996

B. Fuel Shortages

In the event of an emergency fuel shortage, such as that which could result from a general coal miners' strike, each system will, two months prior to the expected strike date, report its fuel supplies to the ECAR office based on an established fuel reporting program.

Within thirty (30) days prior to expiration of the coal miners' contract or other impending fuel supply emergency, the utility shall physically inventory its coal piles and confirm the recoverable quantity and quality of the coal in storage. The days' burn in storage will be determined and computed weekly in accordance with the procedures detailed in Appendix A, Determination of Days' Coal Supply and Optimum Fuel Conservation Dispatch.

If a strike occurs and there is no indication of an immediate settlement, each system will initiate its established program for conservation of coal. Such programs will be carried out in the appropriate sequence of steps listed below except where such actions are not applicable.

1. Company Load Reduction and Fuel Optimization

PUBLIC SERVICE COMMISSION Furtail all non-essential uses of electrical energy at OF KENTUCKY EFFECTIVE company-owned facilities.

MAR 0 1 1996

Discontinue all non-firm sales to utility systems not participating in this or a similar plan except where the dropping of regular customers or serious equipment overload would result or where the transaction is part of FOR THE PUBLIC Service COMMISSION a multiparty energy transfer arrangement.

c. Implement fuel conservation dispatch so as to optimize the generation of electricity from the quantity of fuel available.

2. Appeals to Public

- a. Make public appeals to all wholesale and retail customers to reduce further their consumption of electricity. Notify industrial customers and customers who use electricity to process food or raw materials of potential mandatory curtailments.
- b. Request the reduction of all outdoor lighting to the minimum level necessary for life and property protection, the eliminiation of all advertisement lighting except for a single luminaire to indicate commercial facilities open after dark, and the reduction by a specified percentage of the number of elevators and escalators in use.

3. Operational Procedures

- a. Make maximum purchases of energy from any sources, consistent with prudent system operation.
- b. If provisions are available to do so, reduce voltage, taking into consideration its effectiveness as a load relief measure and the effect on customer's equipment and service.
- c. Request authorization from the proper authorities to

 curtail use of air pollution control facilities. PUBLIC SERVICE COMMISSION

 OF KENTUCKY

 EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Outon C. nel

FOR THE PUBLIC SERVICE COMMISSION

- d. Request authorization from the proper authorities to burn non-conforming coal to order to maximize use of the remaining stockpile.
- e. Request industry to utilize industrial—owned generating equipment to supplement utility generation to the maximum extent possible.
- f. Where plant design permits and when such supplemental fuels are available, fire oil, or natual gas in lieu of coal.
- g. To the extent legal obligations permit, curtail to minimum possible levels all firm sales to utilities not participating in this plan or a comparable plan.

4. Mandatory Curtailment

Mandatory curtailment steps will be implemented only on the order of the Governor or other duly constituted authority. The serving utility in executing these actions under said order, is relieved of any liability as to their consequences to life, health, or property.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

a. All the previously implemented actions shall be continued.

MAR 01 1996

PURSUANT TO 807 KAR 5.011, b. Residential customers shall reduce their load by a SECTION 9 (1) specified percentage and preferably to a level which is just sufficient to meet only their essential needs.

c. All industrial and commerical customers shall implement procedures for curtailent to a stated percentage of the

customers' corresponding month's use in the previous year. Such usage will be corrected to reflect any abnormalities in the prior year's usage; i.e., strikes, maintenance outages, etc. Facilities whose function is to provide life-support, national, state, or local security, or essential public service, should strive to meet the curtailment level indicated, but shall not be required to do so.

5. Additional Mandatory Curtailments

All industrial and commercial customers shall reduce consumption to levels adjudged appropriate under circumstances by the serving system, but not less than those required for the protection of human life and safety and physical plant facilities, whichever is protection of Facilities whose functions are to life-support. national, state, or local security, or essential public services should strive to meet curtailment level ordered, but are not required to do so.

6. Curtailment to Minimum Survival Level

- a. Curtail all industrial and commerical customers to levels not less than those required for protection of human life and safety or protection of physical plan facilities.
- b. As a last resort, implement manual load shedding procedures as necessary to preserve the integrity of the electrical system.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
PFFECTIVE

MAR 01 1996

WIMIN 5: 1000

PURSUANT TO 807 KAR 5:011. 6 NOV 86 SECTION 9 (1)

APPENDIX A

DETERMINATION OF DAYS' COAL SUPPLY AND OPTIMIN FUEL CONSERVATION DISPATCE

The procedure described herein will be used to project the days' coal supply remaining for a system or group of systems and to determine the dispatch required to obtain the maximum days' burn from that supply when the supply falls below a predetermined value.

Data Required

- 1. All long-term unit deratings and partial outages
- 2. The weighted average net heat rate (BTU/KWH) of the units within each plant (Weighted by unit capability)
- 3. The recoverable inventory of coal in storage at each plant (TONS)
- 4. The heat value (BTU/1b) of the coal in storage at each plant
- 5. The system's projected average daily coal-fired generation requirements for the coming 60 days (MWH/DAY)
- 6. Additionl output obtainable at each plant by the firing of supplemental fuel; i.e., oil, natural gas, propane

Algorithm Used

1. A burn factor (TON/MWH) is calculated for each plant based on the weighted average heat rate of the plant and the heat value of the coal in storage.

$$TON/MH = \frac{BTU/NH}{BTU/1b \times 2}$$

2. The maximum 24 hour MWH output of each plant is calculated considerating long-term detatings and partial outages

MAX MWH/DAY - (PLANT CAP-DERATE) x 24

3. The MMH/DAY output obtainable from the coal in storage at each plant is calculated for 10 days, 15 days, and so on to 75 days. If supplementable COMMISSION fuel output is available, it is to be included.

OF KENTUCKY

EFFECTIVE

MAX MAH/DAY = TONS IN STORAGE + SUPP. MAH/DAY (TONS/MAH) X DAYS

MAR 01 1996

PURSUANT TO 807 KAR 5:011, 6 SECTION (1)

BY: Ondar C. neel
FOR THE PUBLIC SERVICE COLUMISSION

APPENDIX A Page 2

- 4. After each calculation of MAH/DAY is made, the value is compared to the MAX MAH/DAY. If the value calculated is greater, the MAH/DAY for that number of days is set equal to the MAX MAH/DAY.
- 5. The MAH/DAY obtainable for 10 days from each of the system's plants is summed, then from each of the plants for 15 days, 20 days, and so on. The value of each summation is the MAH/DAY output of the systems' coal-fired generation obtainable for that number of days.
- 6. The system's projected daily average coal-fired generation requirement in MMH/DAY is obtained by estimating the system's total MWH internal load requirement, minus firm purchase, plus firm sales, minus generation from non-critical fueled units and dividing the value obtained by the number of days over which the estimate was made.

7. The MMH/DAY generation requirement determined in Step 6 is then compared to the total system MMH/DAY obtainable for specified days as determined in Step 5. The days remaining coal supply are the days at which the MMH/DAY generation requirement equals the MMH/DAY obtainable. If the indicated days remaining supply differs significantly from the number of days used to obtain the average MMH/DAY in Step 6, Step 6 should be repeated.

To realize the days remaining coal supply determined in Step 7, a system's generating plants must be dispatched such that each plant's daily net energy output (MAH/DAY) when averaged over a calendar week approximately equals the MAH/DAY obtainable from that plant for the number of days determined to be the system's days coal supply. How such a dispatch is affected is best determined by each system.

Jointly owned plants will be treated on a pro rata basis. Each participant will report his share of the plant's total capacity and fuel supply as if it were at a separate location. The average MMH/DAY output requirement and days remaining coal supply of each participant's share will be determined separately.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

 APPENDIX A Page 3

Example:

As an example, consider a 1400 MW installed capacity hypothetical system. The system's projected average internal energy requirements are 26,400 MWH/DAY. External firm sales obligations are 1,200 MWH/DAY. The system has four generating plants, one of which is a 500 MW nuclear capable of sustained operation of 90 percent capacity factor. The three coal plants have the capability rating, coal inventory, and heat rate shown below. No condition deratings are considered. The coal in storage at all three plants is assumed to have a heat value of 11,000 BTU/lb.

COAL FIRED PLANTS

PLANT	MW NET CAPABILITY	MAX MAH/DAY	Tons in Storage	HEAT RATE BTU/KWH
1	500	12,000	200,000	9,500
2	300	7,200	75,000	10,000
3	100	2,400	30,000	10,500

From the above data, the MMH/DAY output of each plant is calculated for 5—day increments of days fuel supply remaining and totaled for the system.

MAH/DAY FOR DAYS REMAINING

PLANT	25	30	35	40	45	50
1	12,000	12,000	12,000	11,579	10,292	9,263
2	6,600	5,500	4,714	4,125	3,667	3,300
3	2,400	2,095	1,796	1,571	1,397	1,257
TOTAL	21,000	19,595	18,510	17,275	15,356	13,820

The energy requirement on the coal-fired plants is:

System internal energy requirement	26,400 MVH/DAY	
Firm sale obligation	1,200 MAH/DAY	PUBLIC SERVICE COMMISSION
Nuclear unit output (500 x 24 x .9)	-10,800 MWH/DAY	OF KENTUCKY
Coal-fired output required	16,800 MWH/DAY	EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Onder C. Nel
FOR THE PUBLIC SERVICE CO. MISSION


6 NOV 86


APPENDIX A Page 4

The coal-fired energy requirement lies between 17,275 MWH/DAY for 40 days and 15,356 MWH/DAY for 45 days. By interpolation the value for 16,800 MWH/DAY is found to be 41 days. To satisfy the loading criteria, each plant's average daily output should be:

Plant 1 11,250 MMH/DAY - 93% CAPACITY FACTOR Plant 2 4,025 MMH/DAY - 56% CAPACITY FACTOR Plant 3 1,525 MMH/DAY - 64% CAPACITY FACTOR

Figures 1 and 2 graphically display the calculation.





PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

May 1, 1980 Revised November 6, 1986 MAR 0 1 1996

PURSUANT TO 807 KAR 5011, SECTION 9 (1)

EY: 7 Mul

APPENDIX B

"ECAR COMMUNICATION PROCEDURES"

In addition to the extensive intersystem communication facilities within the ECAR region, to further augment the reliability of the area, two regional communication facilities are provided. One is a computer controlled data system with terminals in each of the power control centers of the bulk power members of ECAR. The second is a direct-dial private line telephone system with terminals in six control centers designated as Area Coordinators within the region, the ECAR "Hotline" (FIG 1).

In addition to the regional facilities, a terminal of the NERC telephone system is installed in the AEP Control Center. The other six terminations of the NERC "Hotline" appear in one of the control centers in each of the six other reliability regions within the Eastern Interconnection.

The primary purpose of the data network is to exchange status reports of system conditions and to keep the ECAR systems and their neighbors informed of abnormal or unusual situations. It is also used for data collection and the transmission of daily operating reports and administrative messages.

The ECAR Hotline is intended to aid in emergency or near-emergency situations, which cannot be solved by contiguous interconnected system communications.

NERC Operating Guides have been considered in formulating these ECAR Communication Network procedures. These procedures supersede the ones dated 5/10/77.

I. Data Network

Each system is expected to broadcast appropriate information over the network on any situation that occurs which could conceivably jeopardize system reliability such as:

- A. Forced outages of major generating units (over 200 MW) and transmission (345 kV and higher) will be reported as soon as practical after their occurrence.
- B. The outage of transformers that materially affect the flow patterns or voltage control of the bulk power transmission network.
- C. Any acts or threats of sabotage, vandalism, or para-military action in anyway related to utility facility facility (SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 50 Mug 87 SECTION 9 (1)

BY: Oudan C. Neel
FOR THE PUBLIC SUMMED CO. MISSION

APPENDIX B Page 2

D. Each system will report emergency measures taken such as voltage reduction, load curtailment, or media appeal.

Items of general concern appearing on the ORNS teletype (Operating Representatives of Northeast Systems) will be retransmitted over the ECAR network by AEP. MAIN Reliability Council presently transmits their information directly over the ECAR network.

Daily operating reports as agreed to by the ECAR companies are transmitted over the network. Specific procedures for these reports are issued separately.

II. Area Telephone Network ("HOILINE")

Any system having an emergency or near-emergency requirement which cannot be met by its contiguous interconnected neighbors will contact his Area Coordinator who then will seek assistance from the ECAR companies via the ECAR "Hotline."

If required, AEP will seek assistance from other Reliability Areas via the NERC "Hotline." Also as appropriate, AEP will seek assistance from ECAR companies for other Reliability Area companies.

The Area Coordinators will locate the ECAR "Hotline" phones such that the System Coordinator can answer it, with the control room dispatchers answering it in his absence.

III. Periodic Testing

To assure operation during emergency conditions, the ECAR Communication Network will be periodically tested as follows:

A. The ECAR "Hotline" telephone network will be tested on a weekly basis. AEP will initiate an "ALL CALL" and will verify that all parties receive the call. AEP will request a different Area Coordinator each week to call each of the other Area Coordinators individually. This will check all aspects of the telephone network.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
FFFECTIVE

MAR 01 1996

24

APPENDIX B Page 3

B. The entire ECAR communication network will be tested on a monthly basis. The test will be initiated by the ECAR office over the ECAR data network. The message will include the test date and time. Each System Coordinator will respond by contacting their Area Coordinator. The Area Coordinators will record the time of each system's response and forward this information to the ECAR office via the "Hotline." The Area Coordinators with no System Coordinator responsibility shall also respond to the ECAR office. The ECAR office will acknowledge receipt via the data network.

August 6, 1987


PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Onder C. Mel

ECAR REGION EMERGENCY NOTIFICATION CHANNELS



ECAR Guide No. 3

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 0 1 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Judan C. Heel
FOR THE PUBLIC SERVICE COLUMNSSION

ECAR DOCUMENT NO. 3

EXERGENCY PROCEDURES DURING DECLINING SYSTEM FREQUENCY

Approved by the Coordination Review Committee
October 24, 1968
Revised January 24, 1985

Approved by the ECAR Executive Board November 9, 1968 Revised February 7, 1985

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 01 1996

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Order C. Trul
FOR THE PUBLIC SERVICE COLUMNSSION

ECAR DOCUMENT NO. 3 EMERGENCY PROCEDURES DURING DECLINING SYSTEM FREQUENCY

The East Central Area Reliability Coordination Agreement provides for the establishment of principles and procedures regarding matters affecting the reliability of bulk power supply within ECAR. Consistent with this objective, studies have been made of system performance under conditions of declining system frequency to determine the need for and the extent of a coordinated program of emergency procedures. This Document presents the program adopted by ECAR members as a result of these studies.

Basis for the Selection of an Emergency Procedures Program

The promulgated goal of ECAR members is to design and build an interconnected network within the ECAR area which would not be subject to widespread system outages as a consequence of a major disturbance and to develop guidelines for its safe and reliable operation. Precautionary procedures, regardless of this stated goal, are required to meet emergency conditions such as system separation and operation at subnormal frequency. In addition, coordination of emergency procedures, including the load shedding practices of ECAR companies, both with respect to each other and with respect to neighboring companies outside ECAR is essential.

The basic principles of load shedding are, in the event of a serious emergency, to:

 restore the balance between load and generation in the affected area in the shortest possible time and permit the subsequent return to 60 Hz operation, so as to minimize adverse effects on customer service; and

PUBLIC SERVICE COMMISSION OF KENTUCKY

2. minimize the risk of damage to company and customer facilities FRONTIVE equipment.

MAR 01 1996

PURSUANT TO 807 KAR 5:011.

The ability to reduce firm customer load in an extreme emergency SECTION (1991)

be used as a substitute for system facilities in planning or inBYOTHERUSE COMMISSION

FOR THE PUBLIC SERVICE COMMISSION

-1

operation. It is instead a measure to be taken only after the system has suffered an unpredictable catastrophe which may otherwise lead to widespread system outages.

Program for Emergency Procedures During Declining System Frequency

Between 60.0 - 59.8 Hz, utilize to the extent practicable all operating and emergency reserves. The manner of utilization of these reserves will depend greatly on the behavior of the system during the emergency. Below 59.8 Hz, if the frequency decline is gradual, the system operators, particularly in the deficient area shall invoke all additional non-automatic load relief procedures available to them. These efforts shall continue until the frequency decline is arrested or until underfrequency load shedding relays operate.

For rapid frequency decline only that unloaded capacity on line and automatically responsive to frequency (spinning reserve), and load shedding by underfrequency relays is effective in arresting the decline. The underfrequency load shedding schedule within the ECAR area shall be as follows:

PUBLIC SERVICE COMMISSION	N N		
OF KENTUCKY EFFECTIVE	Step	Freq-Hz	1 Load Shed
	1	59.5	5.0
	2	59.3	5.0
MAR 01 1996	3	59.1	5.0
	4	58.9	5.0
PURSUANT TO 807 KAR 5:011. SECTION 9 (1)		58.7	5.0
BY: Code C. Newl			

The amount of load shed at each step shall be a nominal 5 percent of the system load prior to the beginning of the underfrequency occurrence. A sufficient number of relays shall be used for each step such that they may be spread across a system thereby not allowing any one step of the schedule to be concentrated in a given area. The underfrequency relays used to achieve the above schedule should be of solid state design and set to operate with no more than a 12 cycle trip delay (see NOTE 1).

If after automatic load shedding has occurred and frequency is still declining, take any action necessary to arrest the decline. This may include additional load shedding, manual or automatic, and coordinated network separations. This action shall be completed before frequency declines to less than 58.2 Hz.

If at any time in the above procedures, the decline in area frequency is arrested below 59.0 Hz, the systems in the low-frequency area shall shed an additional 5 percent of their initial loads repeating on five-minutes intervals until 59.0 Hz is reached. This step must be completed within the time limits outlined in Appendix I of this Document, "Isolation of Power Plants." Purthermore, each system in the low-frequency area shall maintain or increase its generating output to a value corresponding to the full open control valve position until frequency is restored to synchronizing range of the main network.

If all of the above procedures are unsuccessful in increasing the frequency to or above 59.0 Hz, generating units may be isolated in accordance with Appendix I of this Document. In the event it becomes necessary for a system to isolate a generating unit at a frequency higher than 58.2 Hz, or a time period shorter than stipulated in the schedule of Appendix I, such system shall also simultaneously disconnect an amount of load equal to that particular generating unit's output. This amount shall be an additional amount over any load previously shed. Automatic isolation of generating units, if employed, should provide two or three seconds delay to permit temporary frequency excursions below the isolation frequency.

When area frequency has been returned to 59.0 Hz or above, the system or PUBLIC SERVICE COMMISSION systems in the low-frequency area shall take any action necessary to bring of RENTUCKY frequency of the isolated area to within synchronizing range of the manifective network.

MAR 0 1 1996

After frequency has returned to synchronizing range the implies ANT 90807 KAR 5.011. shall be synchronized with the interconnected systems. Load restoration SERION 9 (1)

BY: Ostal C. Mel

then be directed by system operators; normal network operation shall be resumed under the direction of the system operators.

The inter-relationship of the Emergency Procedures Program with the Daily Operating Reserve Requirements which are established in ECAR Document No. 2 is recognized. Operating reserve, as used herein and in ECAR Document No. 2, includes spinning reserve, quick-start reserve, and interruptible loads. Emergency reserve as used herein includes emergency capacity ratings of generation, emergency power obtainable from interconnected systems, load reduction by system voltage adjustment, and load reduction by curtailment of utility company use or special customer uses. As stated, ECAR members will utilize these reserves to the best of their ability. Interruptible loads which are utilized as part of the operating reserve cannot be counted as part of the load shedding obligation. These interruptible loads should be disconnected from the system by automatic devices to assure their removal prior to Step 1 of the load shedding schedule.

In recognition of the dynamic character of the ECAR area and its neighboring systems, the application of all emergency measures during declining system frequency within ECAR should be reviewed on a regular basis and updated as required to meet changing system conditions.

NOTE 1: It is recognized that as of the revision date of this Document, February 7, 1985, electromechanical relays are being used by many of the ECAR systems for their underfrequency load shedding and that it would be unduly burdensome to require an immediate conversion. It is, therefore, agreed that these systems may over time, convert to the solid state electrostatic relay asmaintenance requirements and system changes dictate. In the interim, the settings of the electromechanical relays should be made recognizing their sensititivity to the rate-of-change of frequency and tendency to drift from PUBLIC SERVICE COMMISSION OF KENTUCKY

EFFECTIVE

October 31, 1968 Revised: February 7, 1985

MAR 01 1996

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: Ouden C. Neel
FOR THE PUBLIC SERVICE COMMISSION

APPENDIX I "ISOLATION OF GENERATING UNITS"

Coordination of emergency procedures during low frequency operations is essential to limit the possibility of damage to equipment and still maintain the reliable operation of generating plants.

Turbine blade damage can occur if turbines are operated at nearly full load conditions during periods of abnormally low frequency. Recognizing the desirability of maintaining service continuity, the System Operators must also recognize that damage to turbines could impede the restoration of service after a major area-wide disturbance.

Isolation of Generating Units During Low System Frequency

After a frequency decline has been arrested, every effort should be made to return the system frequency to 59.5 Hz or above. The System Operators should recognize that Power Plant Operators will probably isolate generating units from the system if automatic or manual means have been unsuccessful in returning the system frequency to above 59.5 Hz.

In order to provide the System Operators with information regarding the probable frequencies at which they could expect isolation of the generating units from the system, the following table has been provided. This table is provided only as a guide for the Operators: specific units, or specific individual company practices, may provide for longer periods of operation below these specified frequencies. However, in considering the possible consequences during an area-wide underfrequency operating condition, it is recommended that the following table be used in developing operating practices other than those that apply to specific generating plants or individual units.

If a generating unit is removed from the system at a frequency higher than or a time less than that shown in the following table, an amount of load equal to the generation being removed from the system must also be shed simultaneously.

60.0 to 59.5 Hz - Unlimited

59.5 to 58.5 Hz $\,$ - 30.0 minutes before unit isolation

can be expected

PUBLIC SERVICE COMMISSION

58.5 to 58.2 Hz - 7.0 minutes before unit isolation can EFFECTIVE

be expected

Below 58.2 Hz - Unit isolation without time delay can MAR 31 1996

be expected

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

The above operating time periods and frequencies may be Onder C. Recladiusted for specific units for the cumulative effect FORTHE PUBLIC SURVICE CO. MISSION blade fatique over the life of the turbine.

if generating units are isolated from the system, every effort should be made by the Plant Operator to maintain unit auxiliaries and, if possible, a local load. This will allow rapid re-synchronizing of the unit to the main network to aid in restoration of the System.

Rev. 9/11/83

Rev. 6/9/86